

QFS duct

QFS (Quick Fit Sealed) ducting offers a complete range of diameters and accessories for easy-to-fix professional leak free for i.e. oil mist installations.



Manufactured from galvanised steel or stainless steel with laser welded seams, which have smoother internal surfaces and provide greatly enhanced leak resistance, QFS ducting offers an unbeatable solution for all general purpose dust and oil mist extraction duties. The Quick-Fit™ clip features a generously dimensioned sealing gasket held firmly in place by positive overcentre clamping action over the rolled collars at the duct ends to be joined. For added security, a locking pin may be inserted.

For leak free QFS installations use QF laser welded straight duct.

- QFS for fast installation with no special tools, no painting, flexible working
- Easy to assemble installation components
- Neat slip duct connections to adapt and adjust ducting on site during installation
- Laser welded straight ducts for smoother surface and enhanced leak resistance
- Prevent leakage on the floor, decreases slippery surfaces

Product name	QFS duct
Note	When ordering please use standard QF partnumber

QFS duct

Image	Model
	20915*

**When ordering please use standard QF partnumber*

QFS duct

	Accessory	Part No
	Clip P QFS Galv 80QF Kit With Gasket	8210000712
	Clip P QFS Galv 100QF Kit With Gasket	8210000713
	Clip P QFS Galv 125QF Kit With Gasket	8210000714
	Clip P QFS Galv 140QF Kit With Gasket	8210000715
	Clip P QFS Galv 150QF Kit With Gasket	8210000716
	Clip P QFS Galv 160QF Kit With Gasket	8210000717
	Clip P QFS Galv 180QF Kit With Gasket	8210000718
	Clip P QFS Galv 200QF Kit With Gasket	8210000719
	Clip P QFS Galv 224QF Kit With Gasket	8210000720
	Clip P QFS Galv 250QF Kit With Gasket	8210000721
	Clip P QFS Galv 300QF Kit With Gasket	8210000722
	Clip P QFS Galv 315QF Kit With Gasket	8210000723
	Clip P QFS Galv 350QF Kit With Gasket	8210000724
	Clip P QFS Galv 400QF Kit With Gasket	8210000725
	Clip P Galv 100QF Nitrile	8210000694*
	Clip P Galv 125QF Nitrile	8210000695*
	Clip P Galv 160QF Nitrile	8210000698*
	Clip P Galv 200QF Nitrile	8210000700*
	Clip P Galv 250QF Nitrile	8210000702*
	Clip P Galv 300QF Nitrile	8210000703*
	Clip P Galv 315QF Nitrile	8210000704*
	Clip P Galv 350QF Nitrile	8210000705*

QFS duct

Accessory		Part No
	Clip P Galv 400QF Nitrile	8210000706*
	Clip P Galv 450QF Nitrile	8210000707*
	Clip P Galv 500QF Nitrile	8210000708*
	Clip P Galv 140QF Nitrile	8210000696*
	Clip P Galv 150QF Nitrile	8210000697*
	KVDA Split Strap Galv 3mm 80mm	8210001108
	KVDA Split Strap Galv 3mm 100mm	8210001109
	KVDA Split Strap Galv 3mm 120mm	8210001110
	KVDA Split Strap Galv 3mm 125mm	8210001111
	KVDA Split Strap Galv 3mm 140mm	8210001112
	KVDA Split Strap Galv 3mm 150mm	8210001113
	KVDA Split Strap Galv 3mm 160mm	8210001114
	KVDA Split Strap Galv 3mm 180mm	8210001115
	KVDA Split Strap Galv 3mm 200mm	8210001116
	KVDA Split Strap Galv 3mm 225mm	8210003376
	KVDA Split Strap Galv 3mm 250mm	8210001118
	KVDA Split Strap Galv 3mm 300mm	8210001120
	KVDA Split Strap Galv 3mm 315mm	8210001121
	KVDA Split Strap Galv 3mm 325mm	8210001122
	KVDA Split Strap Galv 3mm 350mm	8210001123
	KVDA Split Strap Galv 3mm 450mm	8210001125
	KVDA Split Strap Galv 3mm 500mm	8210001126

QFS duct

Accessory		Part No
	KVDA Split Strap Galv 3mm 550mm	8210001127
	KVDA Split Strap Galv 3mm 560mm	8210001128
	KVDA Split Strap Galv 3mm 600mm	8210001129
	KVDA Split Strap Galv 3mm 630mm	8210001130
	KVDA Split Strap Galv 3mm 650mm	8210001131
	KVDA Split Strap Galv 3mm 710mm	8210001132
	KVDA Split Strap Galv 3mm 800mm	8210001133
	KVDD Legs for Split Strap Galv 180mm 315mm	8210003378
	KVDD Legs for Split Strap Galv 350mm pair	8210003379
	KVDD Legs for Split Strap Galv 400mm pair	8210003380
	KVDD Legs for Split Strap Galv 450mm pair	8210003381
	KVDD Legs for Split Strap Galv 500mm pair	8210003382
	KVDD Legs for Split Strap Galv 600mm pair	8210003384
	KVDD Legs for Split Strap Galv 650mm pair	8210003385
	KVDD Legs for Split Strap Galv 700mm pair	8210003386
	KVDD Legs for Split Strap Galv 800mm pair	8210003387
	KVDA Split Strap Galv 3mm 280mm	8210001119
	KVDA Split Strap Galv 3mm 400mm	8210001124
	KVDD Legs for Split Strap Galv 80mm 160mm	8210003377
	KVDD Legs for Split Strap Galv 550mm pair	8210003383

**Premium Clip, for tougher applications*

QFS Slip Duct, Laser-welded seam



Product name	QFS Slip Duct, Laser-welded seam
Connection	QF

QFS Slip Duct, Laser-welded seam

Image	Diameter (mm)	Length (m)	Weight (kg)	Model
	80	278	0,5	8210001238
	100	278	0,6	8210001239
	125	278	0,7	8210001240
	140	278	0,8	8210001241
	150	278	0,9	8210001242
	160	278	0,9	8210001243
	180	271	1	8210001244
	200	271	1,2	8210001245
	224	271	1,3	8210001246
	250	271	1,4	8210001247
	300	262	1,7	8210001248
	315	262	1,8	8210001249
	350	262	2	8210001250
	400	262	2,9	8210001251

QFS Segmented bends

QFS segmented bends with radius 1,5 x diameter to centerline



Product name	QFS Segmented bends
--------------	---------------------

QFS Segmented bends

Image	Diameter (mm)	Weight (kg)	Thickness (mm)	Radius	Model
	350	2,9	0,9	525	8210000671
	350	2,9	0,9	525	8210000672
	400	3,8	0,9	600	8210000677
	350	3,8	0,9	525	8210000673
	400	5,1	0,9	600	8210000678
	350	4,8	0,7	525	8210000674
	400	6,3	0,9	600	8210000679
	350	6,8	0,9	525	8210000675
	400	8,8	0,9	600	8210000680

QFS Pressed bends

QFS pressed bends with radius 1,5 x diameter to the centerline



Product name	QFS Pressed bends
Thickness (mm)	0,9

QFS Pressed bends

Diameter (mm)	Weight (kg)	Radius	Model
80	0,4	120	8210000238
100	0,5	150	8210000243
125	0,8	190	8210000248
140	0,9	210	8210000253
150	1,1	225	8210000258
160	1,2	240	8210000263
180	1,6	270	8210000268
200	1,9	300	8210000273
224	2,4	337	8210000278
250	3	375	8210000283
300	3,2	450	8210000288
315	5	472	8210000293
80	0,3	120	8210000237
100	0,4	150	8210000242
125	0,6	190	8210000247
140	0,6	210	8210000252
150	0,7	225	8210000257
160	0,8	240	8210000262
180	1,2	270	8210000267
200	1,3	300	8210000272
224	1,7	337	8210000277
250	1,9	375	8210000282
300	2,4	450	8210000287
315	2,5	472	8210000292
80	0,2	120	8210000236
100	0,3	150	8210000241
125	0,4	190	8210000246
140	0,4	210	8210000251
150	0,5	225	8210000256
160	0,6	240	8210000261
180	0,9	270	8210000266
200	1	300	8210000271
224	1,6	337	8210000276
250	1,6	375	8210000281
300	2,3	450	8210000286
315	2,4	472	8210000291
80	0,2	120	8210000235
100	0,3	150	8210000240
125	0,3	190	8210000245
140	0,4	210	8210000250
150	0,5	225	8210000255
160	0,5	240	8210000260
180	0,7	270	8210000265
200	0,9	300	8210000270
224	1,3	337	8210000275
250	1,5	375	8210000280
300	2,2	450	8210000285
315	2,2	472	8210000290
80	0,1	120	8210000234
100	0,2	150	8210000239
125	0,4	190	8210000244
140	0,4	210	8210000249
150	0,4	225	8210000254
160	0,4	240	8210000259
180	0,5	270	8210000264
200	0,7	300	8210000269
224	0,9	337	8210000274
250	0,9	375	8210000279
300	1,3	450	8210000284
315	1,3	472	8210000289

QFS Reducer

Reducer for a QFS (Quick Fit Sealed) duct system



Product name	QFS Reducer
Thickness (mm)	0,9


QFS Reducer

Diameter (1) (mm)	Diameter (2) (mm)	Model
100	80	8240003092
125	80	8240003093
125	100	8240003094
140	80	8240003095
140	100	8240003096
140	125	8240003097
150	80	8240003098
150	100	8240003099
150	125	8240003100
150	140	8240003101
160	80	8240003102
160	100	8240003103
160	125	8240003104
160	140	8240003105
160	150	8240003106
180	80	8240003107
180	100	8240003108
180	125	8240003109
180	140	8240003110
180	150	8240003111
180	160	8240003112
200	80	8240003113
200	100	8240003114
200	125	8240003115
200	140	8240003116
200	150	8240003117
200	160	8240003118
200	180	8240003119
224	100	8240003121
224	125	8240003122
224	140	8240003123
224	150	8240003124
224	160	8240003125
224	180	8240003126
224	200	8240003127
250	80	8240003128
250	100	8240003129
250	125	8240003130
250	140	8240003131
250	150	8240003132
250	160	8240003133
250	180	8240003134
250	200	8240003135
250	224	8240003136
300	140	8240003140
300	150	8240003141
300	160	8240003142
300	180	8240003143
300	200	8240003144
300	224	8240003145
300	250	8240003146
315	80	LFQR315080
315	100	8240003147
315	125	8240003148
315	140	8240003149
315	150	8240003150
315	160	8240003151
315	180	8240003152
315	200	8240003153
315	224	8240003154
315	250	8240003155
315	300	8240003156
350	80	LFQR350080

QFS Reducer

Diameter (1) (mm)	Diameter (2) (mm)	Model
350	100	LFQR350100
350	125	8240003157
350	140	8240003158
350	160	8240003160
350	180	8240003161
350	200	8240003162
350	224	8240003163
350	250	8240003164
350	300	8240003165
350	315	8240003166
400	80	LFQR400080
400	100	LFQR400100
400	125	LFQR400125
400	140	8240003167
400	160	8240003169
400	180	8240003170
400	200	8240003171
400	224	8240003172
400	250	8240003173
400	300	8240003174
400	315	8240003175
400	350	8240003176

QFS Reducer



$$L = (\varnothing_1 - \varnothing_2) + 166\text{mm}$$

QFS Branch

Branches (30 degrees) for QFS (Quick Fit Sealed) ducting



Product name

QFS Branch

QFS Branch

Diameter (1) (mm)	Thickness (mm)	Diameter (3) (mm)	Diameter (2) (mm)	Model
80	0,7	80	80	8240003177
100	0,7	80	80	8240003178
100	0,7	100	80	8240003179
100	0,7	100	100	8240003180
125	0,7	80	80	8240003181
125	0,7	100	80	8240003182
125	0,7	125	80	8240003183
125	0,7	100	100	8240003184
125	0,7	125	100	8240003185
125	0,7	125	125	8240003186
140	0,7	80	80	8240003187
140	0,7	100	80	8240003188
140	0,7	125	80	8240003189
140	0,7	140	80	8240003190
140	0,7	100	100	8240003191
140	0,7	125	100	8240003192
140	0,7	140	100	8240003193
140	0,7	125	125	8240003194
140	0,7	140	125	8240003195
140	0,7	140	140	8240003196
150	0,7	150	80	8240003201
150	0,7	150	150	8240003211
160	0,7	80	80	8240003212
160	0,7	100	80	8240003213
160	0,7	125	80	8240003214
160	0,7	140	80	8240003215
160	0,7	160	80	8240003217
160	0,7	100	100	8240003218
160	0,7	125	100	8240003219
160	0,7	140	100	8240003220
160	0,7	160	100	8240003222
160	0,7	125	125	8240003223
160	0,7	140	125	8240003224
160	0,7	160	125	8240003226
160	0,7	140	140	8240003227
160	0,7	160	140	8240003229
160	0,7	160	160	8240003232
180	0,7	100	80	8240003234
180	0,7	125	80	8240003235
180	0,7	140	80	8240003236
180	0,7	160	80	8240003238
180	0,7	180	80	8240003239
180	0,7	100	100	8240003240
180	0,7	125	100	8240003241
180	0,7	140	100	8240003242
180	0,7	160	100	8240003244
180	0,7	180	100	8240003245
180	0,7	125	125	8240003246
180	0,7	140	125	8240003247
180	0,7	160	125	8240003249
180	0,7	180	125	8240003250
180	0,7	140	140	8240003251
180	0,7	160	140	8240003253
180	0,7	180	140	8240003254
180	0,7	160	160	8240003258
180	0,7	180	160	8240003259
180	0,7	180	180	8240003260
200	0,7	100	80	8240003262
200	0,7	125	80	8240003263
200	0,7	140	80	8240003264
200	0,7	160	80	8240003266
200	0,7	180	80	8240003267
200	0,7	200	80	8240003268

QFS Branch

Diameter (1) (mm)	Thickness (mm)	Diameter (3) (mm)	Diameter (2) (mm)	Model
200	0,7	100	100	8240003269
200	0,7	125	100	8240003270
200	0,7	140	100	8240003271
200	0,7	160	100	8240003273
200	0,7	180	100	8240003274
200	0,7	200	100	8240003275
200	0,7	125	125	8240003276
200	0,7	140	125	8240003277
200	0,7	160	125	8240003279
200	0,7	180	125	8240003280
200	0,7	200	125	8240003281
200	0,7	140	140	8240003282
200	0,7	160	140	8240003284
200	0,7	180	140	8240003285
200	0,7	200	140	8240003286
200	0,7	200	150	8240003290
200	0,7	160	160	8240003291
200	0,7	180	160	8240003292
200	0,7	200	160	8240003293
200	0,7	180	180	8240003294
200	0,7	200	180	8240003295
200	0,7	200	200	8240003296
224	0,7	100	100	8240003306
224	0,7	125	100	8240003307
224	0,7	140	100	8240003308
224	0,7	160	100	8240003310
224	0,7	180	100	8240003311
224	0,7	200	100	8240003312
224	0,7	224	100	8240003313
224	0,7	125	125	8240003314
224	0,7	140	125	8240003315
224	0,7	160	125	8240003317
224	0,7	180	125	8240003318
224	0,7	200	125	8240003319
224	0,7	224	125	8240003320
224	0,7	140	140	8240003321
224	0,7	160	140	8240003323
224	0,7	180	140	8240003324
224	0,7	200	140	8240003325
224	0,7	224	140	8240003326
224	0,7	160	160	8240003332
224	0,7	180	160	8240003333
224	0,7	200	160	8240003334
224	0,7	224	160	8240003335
224	0,7	180	180	8240003336
224	0,7	200	180	8240003337
224	0,7	224	180	8240003338
224	0,7	200	200	8240003339
224	0,7	224	200	8240003340
224	0,7	224	224	8240003341
250	0,7	160	80	8240003347
250	0,7	180	80	8240003348
250	0,7	200	80	8240003349
250	0,7	250	80	8240003351
250	0,7	100	100	8240003352
250	0,7	125	100	8240003353
250	0,7	140	100	8240003354
250	0,7	160	100	8240003356
250	0,7	180	100	8240003357
250	0,7	200	100	8240003358
250	0,7	224	100	8240003359
250	0,7	250	100	8240003360
250	0,7	125	125	8240003361

QFS Branch

Diameter (1) (mm)	Thickness (mm)	Diameter (3) (mm)	Diameter (2) (mm)	Model
250	0,7	140	125	8240003362
250	0,7	160	125	8240003364
250	0,7	180	125	8240003365
250	0,7	200	125	8240003366
250	0,7	224	125	8240003367
250	0,7	250	125	8240003368
250	0,7	140	140	8240003369
250	0,7	160	140	8240003371
250	0,7	180	140	8240003372
250	0,7	200	140	8240003373
250	0,7	224	140	8240003374
250	0,7	250	140	8240003375
250	0,7	250	150	8240003381
250	0,7	160	160	8240003382
250	0,7	180	160	8240003383
250	0,7	200	160	8240003384
250	0,7	224	160	8240003385
250	0,7	250	160	8240003386
250	0,7	180	180	8240003387
250	0,7	200	180	8240003388
250	0,7	224	180	8240003389
250	0,7	250	180	8240003390
250	0,7	200	200	8240003391
250	0,7	224	200	8240003392
250	0,7	250	200	8240003393
250	0,7	224	224	8240003394
250	0,7	250	224	8240003395
250	0,7	250	250	8240003396
300	0,7	100	100	8240003397
300	0,7	125	100	8240003398
300	0,7	140	100	8240003399
300	0,7	160	100	8240003401
300	0,7	180	100	8240003402
300	0,7	200	100	8240003403
300	0,7	224	100	8240003404
300	0,7	250	100	8240003405
300	0,7	300	100	8240003406
300	0,7	125	125	8240003407
300	0,7	140	125	8240003408
300	0,7	160	125	8240003410
300	0,7	180	125	8240003411
300	0,7	200	125	8240003412
300	0,7	224	125	8240003413
300	0,7	250	125	8240003414
300	0,7	300	125	8240003415
300	0,7	140	140	8240003416
300	0,7	160	140	8240003418
300	0,7	180	140	8240003419
300	0,7	200	140	8240003420
300	0,7	224	140	8240003421
300	0,7	250	140	8240003422
300	0,7	300	140	8240003423
300	0,7	160	160	8240003431
300	0,7	180	160	8240003432
300	0,7	200	160	8240003433
300	0,7	224	160	8240003434
300	0,7	250	160	8240003435
300	0,7	300	160	8240003436
300	0,7	180	180	8240003437
300	0,7	200	180	8240003438
300	0,7	224	180	8240003439
300	0,7	250	180	8240003440
300	0,7	300	180	8240003441

QFS Branch

Diameter (1) (mm)	Thickness (mm)	Diameter (3) (mm)	Diameter (2) (mm)	Model
300	0,7	200	200	8240003442
300	0,7	224	200	8240003443
300	0,7	250	200	8240003444
300	0,7	300	200	8240003445
300	0,7	224	224	8240003446
300	0,7	250	224	8240003447
300	0,7	300	224	8240003448
300	0,7	250	250	8240003449
300	0,7	300	250	8240003450
300	0,7	300	300	8240003451
315	0,7	100	100	8240003452
315	0,7	125	100	8240003453
315	0,7	140	100	8240003454
315	0,7	160	100	8240003456
315	0,7	180	100	8240003457
315	0,7	200	100	8240003458
315	0,7	224	100	8240003459
315	0,7	250	100	8240003460
315	0,7	300	100	8240003461
315	0,7	315	100	8240003462
315	0,7	125	125	8240003463
315	0,7	140	125	8240003464
315	0,7	160	125	8240003466
315	0,7	180	125	8240003467
315	0,7	200	125	8240003468
315	0,7	224	125	8240003469
315	0,7	250	125	8240003470
315	0,7	300	125	8240003471
315	0,7	315	125	8240003472
315	0,7	140	140	8240003473
315	0,7	160	140	8240003475
315	0,7	180	140	8240003476
315	0,7	200	140	8240003477
315	0,7	224	140	8240003478
315	0,7	250	140	8240003479
315	0,7	300	140	8240003480
315	0,7	315	140	8240003481
315	0,7	160	160	8240003490
315	0,7	180	160	8240003491
315	0,7	200	160	8240003492
315	0,7	224	160	8240003493
315	0,7	250	160	8240003494
315	0,7	300	160	8240003495
315	0,7	315	160	8240003496
315	0,7	180	180	8240003497
315	0,7	200	180	8240003498
315	0,7	224	180	8240003499
315	0,7	250	180	8240003500
315	0,7	300	180	8240003501
315	0,7	315	180	8240003502
315	0,7	200	200	8240003503
315	0,7	224	200	8240003504
315	0,7	250	200	8240003505
315	0,7	300	200	8240003506
315	0,7	315	200	8240003507
315	0,7	224	224	8240003508
315	0,7	250	224	8240003509
315	0,7	300	224	8240003510
315	0,7	315	224	8240003511
315	0,7	250	250	8240003512
315	0,7	300	250	8240003513
315	0,7	315	250	8240003514
315	0,7	300	300	8240003515


QFS Branch

Diameter (1) (mm)	Thickness (mm)	Diameter (3) (mm)	Diameter (2) (mm)	Model
315	0,7	315	300	8240003516
315	0,7	315	315	8240003517
350	0,7	125	125	8240003518
350	0,7	140	125	8240003519
350	0,7	160	125	8240003521
350	0,7	180	125	8240003522
350	0,7	200	125	8240003523
350	0,7	224	125	8240003524
350	0,7	250	125	8240003525
350	0,7	300	125	8240003526
350	0,7	315	125	8240003527
350	0,7	350	125	8240003528
350	0,7	140	140	8240003529
350	0,7	160	140	8240003531
350	0,7	180	140	8240003532
350	0,7	200	140	8240003533
350	0,7	224	140	8240003534
350	0,7	250	140	8240003535
350	0,7	300	140	8240003536
350	0,7	315	140	8240003537
350	0,7	350	140	8240003538
350	0,7	160	160	8240003548
350	0,7	180	160	8240003549
350	0,7	200	160	8240003550
350	0,7	224	160	8240003551
350	0,7	250	160	8240003552
350	0,7	300	160	8240003553
350	0,7	315	160	8240003554
350	0,7	350	160	8240003555
350	0,7	180	180	8240003556
350	0,7	200	180	8240003557
350	0,7	224	180	8240003558
350	0,7	250	180	8240003559
350	0,7	300	180	8240003560
350	0,7	315	180	8240003561
350	0,7	350	180	8240003562
350	0,7	200	200	8240003563
350	0,7	224	200	8240003564
350	0,7	250	200	8240003565
350	0,7	300	200	8240003566
350	0,7	315	200	8240003567
350	0,7	350	200	8240003568
350	0,7	224	224	8240003569
350	0,7	250	224	8240003570
350	0,7	300	224	8240003571
350	0,7	315	224	8240003572
350	0,7	350	224	8240003573
350	0,7	250	250	8240003574
350	0,7	300	250	8240003575
350	0,7	315	250	8240003576
350	0,7	350	250	8240003577
350	0,7	300	300	8240003578
350	0,7	315	300	8240003579
350	0,7	350	300	8240003580
350	0,7	315	315	8240003581
350	0,7	350	315	8240003582
350	0,7	350	350	8240003583
400	0,9	140	125	8240003585
400	0,9	160	125	8240003587
400	0,9	180	125	8240003588
400	0,9	200	125	8240003589
400	0,9	224	125	8240003590
400	0,9	250	125	8240003591

QFS Branch

Diameter (1) (mm)	Thickness (mm)	Diameter (3) (mm)	Diameter (2) (mm)	Model
400	0,9	300	125	8240003592
400	0,9	315	125	8240003593
400	0,9	350	125	8240003594
400	0,9	400	125	8240003595
400	0,9	140	140	8240003596
400	0,9	160	140	8240003598
400	0,9	180	140	8240003599
400	0,9	200	140	8240003600
400	0,9	224	140	8240003601
400	0,9	250	140	8240003602
400	0,9	300	140	8240003603
400	0,9	315	140	8240003604
400	0,9	350	140	8240003605
400	0,9	400	140	8240003606
400	0,9	160	160	8240003617
400	0,9	180	160	8240003618
400	0,9	200	160	8240003619
400	0,9	224	160	8240003620
400	0,9	250	160	8240003621
400	0,9	300	160	8240003622
400	0,9	315	160	8240003623
400	0,9	350	160	8240003624
400	0,9	400	160	8240003625
400	0,9	180	180	8240003626
400	0,9	200	180	8240003627
400	0,9	224	180	8240003628
400	0,9	250	180	8240003629
400	0,9	300	180	8240003630
400	0,9	315	180	8240003631
400	0,9	350	180	8240003632
400	0,9	400	180	8240003633
400	0,9	200	200	8240003634
400	0,9	224	200	8240003635
400	0,9	250	200	8240003636
400	0,9	300	200	8240003637
400	0,9	315	200	8240003638
400	0,9	350	200	8240003639
400	0,9	400	200	8240003640
400	0,9	224	224	8240003641
400	0,9	250	224	8240003642
400	0,9	300	224	8240003643
400	0,9	315	224	8240003644
400	0,9	350	224	8240003645
400	0,9	400	224	8240003646
400	0,9	250	250	8240003647
400	0,9	300	250	8240003648
400	0,9	315	250	8240003649
400	0,9	350	250	8240003650
400	0,9	400	250	8240003651
400	0,9	300	300	8240003652
400	0,9	315	300	8240003653
400	0,9	350	300	8240003654
400	0,9	400	300	8240003655
400	0,9	315	315	8240003656
400	0,9	350	315	8240003657
400	0,9	400	315	8240003658
400	0,9	350	350	8240003659
400	0,9	400	350	8240003660
400	0,9	400	400	8240003661

QFS Branch



$$L1 = (\varnothing 2 \times 2) + 236$$

$$L2 = (\varnothing 2 / 2) + 58$$

Ø3 must be smaller than or equal to Ø1

Ø2 must be smaller than or equal to Ø3

QFS Double Branch

Double branch for QFS (Quick Fit Sealed) ducting



Product name	QFS Double Branch
Material	Galvanized

QFS Double Branch

Diameter (1) (mm)	Diameter (3) (mm)	Diameter (4) (mm)	Diameter (2) (mm)	Model
100	100	100	100	8240004248
125	100	100	100	8240004252
125	125	100	100	8240004253
125	125	125	125	8240004254
140	100	100	100	8240004259
140	125	100	100	8240004260
140	140	100	100	8240004261
140	125	125	125	8240004262
140	140	125	125	8240004263
140	140	140	140	8240004264
160	100	100	100	8240004286
160	125	100	100	8240004287
160	140	100	100	8240004288
160	160	100	100	8240004290
160	125	125	125	8240004291
160	140	125	125	8240004292
160	160	125	125	8240004294
160	140	140	140	8240004295
160	160	140	140	8240004297
160	160	160	160	8240004300
180	100	100	100	8240004308
180	125	100	100	8240004309
180	140	100	100	8240004310
180	160	100	100	8240004312
180	180	100	100	8240004313
180	125	125	125	8240004314
180	140	125	125	8240004315
180	160	125	125	8240004317
180	180	125	125	8240004318
180	140	140	140	8240004319
180	160	140	140	8240004321
180	180	140	140	8240004322
180	160	160	160	8240004326
180	180	160	160	8240004327
180	180	180	180	8240004328
200	100	100	100	8240004337
200	125	100	100	8240004338
200	140	100	100	8240004339
200	160	100	100	8240004341
200	180	100	100	8240004342
200	200	100	100	8240004343
200	125	125	125	8240004344
200	140	125	125	8240004345
200	160	125	125	8240004347
200	180	125	125	8240004348
200	200	125	125	8240004349
200	140	140	140	8240004350
200	160	140	140	8240004352
200	180	140	140	8240004353
200	200	140	140	8240004354
200	160	160	160	8240004359
200	180	160	160	8240004360
200	200	160	160	8240004361
200	180	180	180	8240004362
200	200	180	180	8240004363
200	200	200	200	8240004364
224	100	100	100	8240004374
224	125	100	100	8240004375
224	140	100	100	8240004376
224	160	100	100	8240004378
224	180	100	100	8240004379
224	200	100	100	8240004380
224	224	100	100	8240004381

QFS Double Branch

Diameter (1) (mm)	Diameter (3) (mm)	Diameter (4) (mm)	Diameter (2) (mm)	Model
224	125	125	125	8240004382
224	140	125	125	8240004383
224	160	125	125	8240004385
224	180	125	125	8240004386
224	200	125	125	8240004387
224	224	125	125	8240004388
224	140	140	140	8240004389
224	160	140	140	8240004391
224	180	140	140	8240004392
224	200	140	140	8240004393
224	224	140	140	8240004394
224	160	160	160	8240004400
224	180	160	160	8240004401
224	200	160	160	8240004402
224	224	160	160	8240004403
224	180	180	180	8240004404
224	200	180	180	8240004405
224	224	180	180	8240004406
224	200	200	200	8240004407
224	224	200	200	8240004408
224	224	224	224	8240004409
250	100	100	100	8240004420
250	125	100	100	8240004421
250	140	100	100	8240004422
250	160	100	100	8240004424
250	180	100	100	8240004425
250	200	100	100	8240004426
250	224	100	100	8240004427
250	250	100	100	8240004428
250	125	125	125	8240004429
250	140	125	125	8240004430
250	160	125	125	8240004432
250	180	125	125	8240004433
250	200	125	125	8240004434
250	224	125	125	8240004435
250	250	125	125	8240004436
250	140	140	140	8240004437
250	160	140	140	8240004439
250	180	140	140	8240004440
250	200	140	140	8240004441
250	224	140	140	8240004442
250	250	140	140	8240004443
250	160	160	160	8240004450
250	180	160	160	8240004451
250	200	160	160	8240004452
250	224	160	160	8240004453
250	250	160	160	8240004454
250	180	180	180	8240004455
250	200	180	180	8240004456
250	224	180	180	8240004457
250	250	180	180	8240004458
250	200	200	200	8240004459
250	224	200	200	8240004460
250	250	200	200	8240004461
250	224	224	224	8240004462
250	250	224	224	8240004463
250	250	250	250	8240004464
300	100	100	100	8240004465
300	125	100	100	8240004466
300	140	100	100	8240004467
300	160	100	100	8240004469
300	180	100	100	8240004470
300	200	100	100	8240004471


QFS Double Branch

Diameter (1) (mm)	Diameter (3) (mm)	Diameter (4) (mm)	Diameter (2) (mm)	Model
300	224	100	100	8240004472
300	250	100	100	8240004473
300	300	100	100	8240004474
300	125	125	125	8240004475
300	140	125	125	8240004476
300	160	125	125	8240004478
300	180	125	125	8240004479
300	200	125	125	8240004480
300	224	125	125	8240004481
300	250	125	125	8240004482
300	300	125	125	8240004483
300	140	140	140	8240004484
300	160	140	140	8240004486
300	180	140	140	8240004487
300	200	140	140	8240004488
300	224	140	140	8240004489
300	250	140	140	8240004490
300	300	140	140	8240004491
300	160	160	160	8240004499
300	180	160	160	8240004500
300	200	160	160	8240004501
300	224	160	160	8240004502
300	250	160	160	8240004503
300	300	160	160	8240004504
300	180	180	180	8240004505
300	200	180	180	8240004506
300	224	180	180	8240004507
300	250	180	180	8240004508
300	300	180	180	8240004509
300	200	200	200	8240004510
300	224	200	200	8240004511
300	250	200	200	8240004512
300	300	200	200	8240004513
300	224	224	224	8240004514
300	250	224	224	8240004515
300	300	224	224	8240004516
300	250	250	250	8240004517
300	300	250	250	8240004518
300	300	300	300	8240004519
315	100	100	100	8240004520
315	125	100	100	8240004521
315	140	100	100	8240004522
315	160	100	100	8240004524
315	180	100	100	8240004525
315	200	100	100	8240004526
315	224	100	100	8240004527
315	250	100	100	8240004528
315	300	100	100	8240004529
315	315	100	100	8240004530
315	125	125	125	8240004531
315	140	125	125	8240004532
315	160	125	125	8240004534
315	180	125	125	8240004535
315	200	125	125	8240004536
315	224	125	125	8240004537
315	250	125	125	8240004538
315	300	125	125	8240004539
315	315	125	125	8240004540
315	140	140	140	8240004541
315	160	140	140	8240004543
315	180	140	140	8240004544
315	200	140	140	8240004545
315	224	140	140	8240004546

QFS Double Branch

Diameter (1) (mm)	Diameter (3) (mm)	Diameter (4) (mm)	Diameter (2) (mm)	Model
315	250	140	140	8240004547
315	300	140	140	8240004548
315	315	140	140	8240004549
315	160	160	160	8240004558
315	180	160	160	8240004559
315	200	160	160	8240004560
315	224	160	160	8240004561
315	250	160	160	8240004562
315	300	160	160	8240004563
315	315	160	160	8240004564
315	180	180	180	8240004565
315	200	180	180	8240004566
315	224	180	180	8240004567
315	250	180	180	8240004568
315	300	180	180	8240004569
315	315	180	180	8240004570
315	200	200	200	8240004571
315	224	200	200	8240004572
315	250	200	200	8240004573
315	300	200	200	8240004574
315	315	200	200	8240004575
315	224	224	224	8240004576
315	250	224	224	8240004577
315	300	224	224	8240004578
315	315	224	224	8240004579
315	250	250	250	8240004580
315	300	250	250	8240004581
315	315	250	250	8240004582
315	300	300	300	8240004583
315	315	300	300	8240004584
315	315	315	315	8240004585
80	80	80	80	8240004245
100	80	80	80	8240004246

QFS Double Branch



$$L1 = (\varnothing 2 \times 2) + 236,$$

$$L2 = (\varnothing 2 / 2) + 58,$$

$$\varnothing 3 \leq \varnothing 1,$$

$$\varnothing 2 \leq \varnothing 3,$$

$$\varnothing 4 \leq \varnothing 3$$

QFS Y-Branch

Y-Branches for QFS (Quick Fit Sealed) ducting



Product name	QFS Y-Branch
--------------	--------------

QFS Y-Branch

Diameter (1) (mm)	Diameter (3) (mm)	Diameter (2) (mm)	Model
80	80	80	8240003662
100	80	80	8240003663
100	80	100	LFQB100100080
100	100	100	8240003664
125	80	80	8240003665
125	80	100	LFQB125100080
125	100	100	8240003666
125	100	125	LFQB125125100
140	80	80	8240003668
140	80	100	LFQB140100080
140	100	100	8240003669
140	80	125	LFQB140125080
140	100	125	LFQB140125100
140	125	125	8240003670
140	80	140	LFQB140140080
140	100	140	LFQB140140100
140	125	140	LFQB140140125
140	140	140	8240003671
150	150	150	8240003676
160	80	80	8240003677
160	80	100	LFQB160100080
160	100	100	8240003678
160	80	125	LFQB160125080
160	125	125	8240003679
160	80	140	LFQB160140080
160	100	140	LFQB160140100
160	125	140	LFQB160140125
160	140	140	8240003680
160	80	160	LFQB160160080
160	100	160	LFQB160160100
160	125	160	LFQB160160125
160	140	160	LFQB160160140
160	160	160	8240003682
180	80	80	8240003683
180	80	100	LFQB180100080
180	100	100	8240003684
180	80	125	LFQB180125080
180	100	125	LFQB180125100
180	125	125	8240003685
180	80	140	LFQB180140080
180	100	140	LFQB180140100
180	125	140	LFQB180140125
180	140	140	8240003686
180	80	160	LFQB180160080
180	100	160	LFQB180160100
180	125	160	LFQB180160125
180	140	160	LFQB180160140
180	160	160	8240003688
180	100	180	LFQB180180100
180	125	180	LFQB180180125
180	140	180	LFQB180180140
180	160	180	LFQB180180160
180	180	180	8240003689
200	100	100	8240003691
200	100	125	LFQB200125100
200	125	125	8240003692
200	100	140	LFQB200140100
200	125	140	LFQB200140125
200	140	140	8240003693
200	100	160	LFQB200160100
200	125	160	LFQB200160125
200	140	160	LFQB200160140
200	160	160	8240003695


QFS Y-Branch

Diameter (1) (mm)	Diameter (3) (mm)	Diameter (2) (mm)	Model
200	100	180	LFQB200180100
200	125	180	LFQB200180125
200	140	180	LFQB200180140
200	160	180	LFQB200180160
200	180	180	8240003696
200	100	200	LFQB200200100
200	125	200	LFQB200200125
200	140	200	LFQB200200140
200	160	200	LFQB200200160
200	180	200	LFQB200200180
200	200	200	8240003697
224	100	100	8240003699
224	125	125	8240003700
224	140	140	8240003701
224	160	160	8240003703
224	180	180	8240003704
224	200	200	8240003705
224	224	224	8240003706
250	100	100	8240003708
250	100	125	LFQB250125100
250	125	125	8240003709
250	100	140	LFQB250140100
250	125	140	LFQB250140125
250	140	140	8240003710
250	100	160	LFQB250160100
250	125	160	LFQB250160125
250	140	160	LFQB250160140
250	160	160	8240003712
250	100	180	LFQB250180100
250	125	180	LFQB250180125
250	140	180	LFQB250180140
250	160	180	LFQB250180160
250	180	180	8240003713
250	100	200	LFQB250200100
250	125	200	LFQB250200125
250	140	200	LFQB250200140
250	160	200	LFQB250200160
250	180	200	LFQB250200180
250	200	200	8240003714
250	224	224	8240003715
250	125	250	LFQB250250125
250	140	250	LFQB250250140
250	160	250	LFQB250250160
250	180	250	LFQB250250180
250	200	250	LFQB250250200
250	250	250	8240003716
300	100	100	8240003717
300	125	125	8240003718
300	140	140	8240003719
300	160	160	8240003721
300	180	180	8240003722
300	200	200	8240003723
300	224	224	8240003724
300	250	250	8240003725
300	300	300	8240003726
315	140	140	8240003729
315	140	160	LFQB315160140
315	160	160	8240003731
315	140	180	LFQB315180140
315	160	180	LFQB315180160
315	180	180	8240003732
315	140	200	LFQB315200140
315	160	200	LFQB315200160

QFS Y-Branch

Diameter (1) (mm)	Diameter (3) (mm)	Diameter (2) (mm)	Model
315	180	200	LFQB315200180
315	200	200	8240003733
315	224	224	8240003734
315	140	250	LFQB315250140
315	160	250	LFQB315250160
315	180	250	LFQB315250180
315	200	250	LFQB315250200
315	250	250	8240003735
315	300	300	8240003736
315	160	315	LFQB315315160
315	180	315	LFQB315315180
315	200	315	LFQB315315200
315	250	315	LFQB315315250
315	315	315	8240003737
350	160	160	8240003741
350	160	180	LFQB350180160
350	180	180	8240003742
350	160	200	LFQB350200160
350	180	200	LFQB350200180
350	200	200	8240003743
350	224	224	8240003744
350	160	250	LFQB350250160
350	180	250	LFQB350250180
350	200	250	LFQB350250200
350	250	250	8240003745
350	300	300	8240003746
350	160	315	LFQB350315160
350	180	315	LFQB350315180
350	200	315	LFQB350315200
350	250	315	LFQB350315250
350	315	315	8240003747
350	180	350	LFQB350350180
350	200	350	LFQB350350200
350	250	350	LFQB350350250
350	315	350	LFQB350350315
350	350	350	8240003748
400	200	200	8240003754
400	224	224	8240003755
400	200	250	LFQB400250200
400	250	250	8240003756
400	300	300	8240003757
400	200	315	LFQB400315200
400	250	315	LFQB400315250
400	315	315	8240003758
400	200	350	LFQB400350200
400	250	350	LFQB400350250
400	315	350	LFQB400350315
400	350	350	8240003759
400	200	400	LFQB400400200
400	250	400	LFQB400400250
400	315	400	LFQB400400315
400	350	400	LFQB400400350
400	400	400	8240003760

QFS Y-Branch



$L = \varnothing 1 + 100$,
 $\varnothing 2$ and $\varnothing 3$ must be smaller than or equal to $\varnothing 1$

QFS adapters and accessories

Adapters and various accessories for QFS (Quick Fit Sealed) ducting systems



Product name

QFS adapters and accessories

QFS adapters and accessories

Image	Description	Diameter (mm)	Length (m)	Weight (kg)	Thickness (mm)	Model
		80		0,09	0,7	8210001050
		100		0,13	0,7	8210001051
		125		0,18	0,7	8210001052
		140		0,22	0,7	8210001053
		150		0,24	0,7	8210001054
		160		0,26	0,7	8210001055
		180		0,35	0,7	8210001056
		200		0,4	0,7	8210001057
		224		0,49	0,7	8210001058
		250		0,62	0,7	8210001059
		300		0,88	0,7	8210001060
		315		1,15	0,7	8210001061
		350		1,6	0,7	8210001062
		400		2,12	0,9	8210001063
		80				8210000125

QFS adapters and accessories

Image	Description	Diameter (mm)	Length (m)	Weight (kg)	Thickness (mm)	Model
		100				8210000126
		125				8210000127
		140				8210000128
		150				8210000129
		160				8210000130
		180				8210000131
		200				8210000132
		224				8210000133
		250				8210000134
		300				8210000135
		315				8210000136
		350				8210000137
		400				8210000138
						8210000038
						8210000039

QFS adapters and accessories

Image	Description	Diameter (mm)	Length (m)	Weight (kg)	Thickness (mm)	Model
						8210000040
						8210000041
						8210000042
						8210000043
						8210000044
						8210000045
						8210000046
						8210000047
						8210000048
		100	185	6		8210000805*
		150		7		8210000806*
		160	385	7		8210003389*
		200	185	9		8210000807*
		250	185	10		8210000808*
		300	185	10		8210000809*

QFS adapters and accessories

Image	Description	Diameter (mm)	Length (m)	Weight (kg)	Thickness (mm)	Model
		350	485	11,5		8210000810*
		400	485	11,5		8210000811*
		100	185	7,5		8210000798**
		150		8,5		8210000799**
		160	385	8,5		8210003390**
		200	185	10,5		8210000800**
		250	185	11,5		8210000801**
	LCP 11-44 For dry dust	300	185	11,5		8210000802**
		350	485	13		8210000803**
		400	485	13		8210000804**
		80			0,9	8210001134
		100			0,9	8210001135
		125			0,9	8210001136
		140			0,9	8210001137
		150			0,9	8210001138

QFS adapters and accessories


Image	Description	Diameter (mm)	Length (m)	Weight (kg)	Thickness (mm)	Model
		160			0,9	8210001139
		180			0,9	8210001140
		200			0,9	8210001141
		224			0,9	8210001142
		250			0,9	8210001143
		300			0,9	8210001144
		315			0,9	8210001145
		350			0,9	8210001146
		400			0,9	8210001147

*Manual Damper

**Automatic Damper

QFS adapters and accessories


QF Machine adapter dimensions



QF Machine adapter dimensions, 22023-XXX


QFS adapters and accessories

QF Ventilation adapter



QF Ventilation adapter, Z2014-XXX

QFS adapters and accessories



QF End Cap Dimensions, Z2012-XXX

