

**NowyStyl**

Puzlo

Price list

1

## Table of contents

|                                                                   |               |
|-------------------------------------------------------------------|---------------|
| <b>Technical description</b>                                      | <b>1</b>      |
| Locker cabinets                                                   | 2             |
| Wardrobe cabinets                                                 | 8             |
| Accessories                                                       | 9             |
| Technical regulations, certificates and quality marks             | 9             |
| <br><b>Price List</b>                                             | <br><b>11</b> |
| Locker cabinets                                                   | 12            |
| Wardrobe cabinets                                                 | 18            |
| Accessories                                                       | 22            |
| <br><b>Finishes</b>                                               | <br><b>25</b> |
| <br><b>General Business Conditions</b>                            |               |
| <b>General terms of product use,<br/>maintenance and cleaning</b> | <b>29</b>     |

Valid from: **February 2022**

© Copyright 2022 Nowy Styl sp. z o.o.

Nowy Styl sp. z o.o. reserves the right to change the constructional features and finishes of products.

Note: Colours and patterns illustrated here may vary from the originals.

Publications of Nowy Styl sp. z o.o. Brands and trademarks used herein are the property of NSG TM sp. z o.o.

# Technical

## description

# Technical description

## 1. Locker cabinets

### 1.1. Models

- locker cabinet on chipboard plinth,
- locker cabinet on metal base.

### 1.2. Structure

#### 1.2.1. Carcass

- locker cabinet on chipboard plinth – carcass and shelves made of melamine faced chipboard (MFC), thickness 18 mm, top thickness 25 mm,
  - locker cabinet on metal base – carcass, shelves and top made of melamine faced chipboard (MFC), thickness 18 mm,
- Back for both cabinets made of melamine faced chipboard (MFC), thickness 12 mm.

#### 1.2.2. Doors

Locker cabinet door equipped with 2 hinges, door opening angle up to 110° and soft-close system.

##### Door types:

- full door, no shelf inside unit (DT-F),
- full door, with shelf inside unit (DT-FS),
- full door, with shelf inside unit and letter slot in black (DT-LS-B) or white colour (DT-LS-W)
  - oval letter slot made of plastic, cut out dimensions 312 × 21 mm,
- lower door, with shelf inside unit (DT-LF) – cut out height of letter slot 28 mm.

##### Door versions:

- left (V-L),
- right (V-R),
- left and right (V-LR) – applicable to two-column cabinets only.

##### Finish options:

- melamine faced chipboard (MFC), thickness 18 mm with 2 mm edge in glue technology,
- chipboard with laminate (whiteboard) in white colour, thickness 18 mm with 2 mm laser edge.

#### 1.2.3. Base

- chipboard plinth,
- metal base, powder-coated in Traffic white RAL 9016 (WT), White aluminium RAL 9006 (WA), Slate grey RAL 7015 (GY), Jet black RAL 9005 (BL) and Fashion Collection colours.

#### 1.3. Other options

##### Handles – available in horizontal position:

- type 1 – metal handle in alu, white, grey or black colour,
- type 2 – metal handle in alu colour.

**Note:** handles are obligatory for combined options: full door without letter slot (DT-F, DT-FS) with cylinder lock.

##### Locks:

- cylinder lock with interchangeable key insert,
- combination lock, fixed code mode (permanent code) in black colour,
- combination lock, free code mode (changeable code) in black colour,
- RFID electronic card lock with card key, in black colour, compatible with Mifare system.

As standard lock is equipped with: assigned users card – the lock works in “assigned use” mode (private) – user card is programmed with a specific lock.

A set of cards is enclosed to cabinet with RFID electronic card locks:

- master card – required for programming and emergency locks unlocking,
- service card – equipped with a printed service key enabling re-ordering of the master card,
- update card – in conjunction with master card, update card makes possible uploading of firmware updates to locks,
- user cards – used for locking and unlocking locks. The number corresponds to the number of units in cabinet.

**Note:** master keys for emergency unlocking of cylinder and combination lock are not included as standard. Possibility of ordering master key upon request.

#### 1.4. Door colour options:

- Monocolour – all cabinet doors in one colour. Colour concepts – two or three door colours to be selected in accordance with defined colour concepts:
  - 1 – colour A,
  - 2 – colour B,
  - 3 – colour C,
- Multicolour – doors in various colours. For door type: full door, no shelf inside unit (DT-F) including “no door” option for selected unit fronts.

Multicolour – coding order for door finish

| One-column locker cabinet                                        | Two-columns locker cabinet                                             | Three-columns locker cabinet                                                     |
|------------------------------------------------------------------|------------------------------------------------------------------------|----------------------------------------------------------------------------------|
| <div>5</div> <div>4</div> <div>3</div> <div>2</div> <div>1</div> | <div>910</div> <div>78</div> <div>56</div> <div>34</div> <div>12</div> | <div>131415</div> <div>101112</div> <div>789</div> <div>456</div> <div>123</div> |

| Colour concept   |                  |    |    |                  |    |    |                  |    |    |
|------------------|------------------|----|----|------------------|----|----|------------------|----|----|
| Number of levels | Colour concept A |    |    | Colour concept B |    |    | Colour concept C |    |    |
| 2                |                  |    |    | F2               | F2 | F2 | F2               | F2 | F2 |
|                  |                  |    |    | F1               | F1 | F1 | F1               | F1 | F1 |
| 3                | F3               | F3 | F3 | F2               | F2 | F2 | F2               | F2 | F2 |
|                  | F2               | F2 | F2 | F1               | F1 | F1 | F1               | F1 | F1 |
|                  | F1               | F1 | F1 | F1               | F1 | F1 | F1               | F1 | F1 |
| 4                | F1               | F1 | F1 | F2               | F2 | F2 | F2               | F2 | F2 |
|                  | F3               | F3 | F3 | F2               | F2 | F2 | F2               | F2 | F2 |
|                  | F2               | F2 | F2 | F1               | F1 | F1 | F1               | F1 | F1 |
|                  | F1               | F1 | F1 | F1               | F1 | F1 | F1               | F1 | F1 |
| 5                | F1               | F1 | F1 | F2               | F2 | F2 | F2               | F2 | F2 |
|                  | F3               | F3 | F3 | F2               | F2 | F2 | F2               | F2 | F2 |
|                  | F2               | F2 | F2 | F1               | F1 | F1 | F1               | F1 | F1 |
|                  | F1               | F1 | F1 | F1               | F1 | F1 | F1               | F1 | F1 |
|                  | F1               | F1 | F1 | F1               | F1 | F1 | F1               | F1 | F1 |

# Technical description

## 1.5. Product range

| One-column locker cabinet       |                                      |                          |                             |   |   |   |   |  |
|---------------------------------|--------------------------------------|--------------------------|-----------------------------|---|---|---|---|--|
| Overall width (mm):             |                                      |                          | 400 / 450 / 500 / 550 / 600 |   |   |   |   |  |
| Overall depth (mm):             |                                      |                          | 445 / 500 / 550 / 600       |   |   |   |   |  |
| Height –<br>number of<br>levels | Cabinet<br>on chipboard plinth       | Cabinet<br>on metal base |                             |   |   |   |   |  |
|                                 | Overall height / door height<br>(mm) |                          |                             |   |   |   |   |  |
| 1.5OH-1L                        | 740 / 651                            | 740 / 655                | 1                           | 2 |   |   |   |  |
| 1.5OH-2L                        | 740 / 324                            | 740 / 326                |                             | 1 |   |   |   |  |
| 2OH-1L                          | 825 / 736                            | 765 / 680                | 1                           | 2 |   |   |   |  |
| 2OH-2L                          | 825 / 367                            | 765 / 339                |                             | 1 |   |   |   |  |
| 3OH-2L                          | 1155 / 532                           | 1117 / 515               | 2                           | 3 |   |   |   |  |
| 3OH-3L                          | 1155 / 353                           | 1117 / 342               | 1                           | 2 |   |   |   |  |
|                                 |                                      |                          |                             | 1 |   |   |   |  |
| 4OH-2L                          | 1545 / 727                           | 1469 / 691               | 2                           | 3 | 4 |   |   |  |
| 4OH-3L                          | 1545 / 483                           | 1469 / 459               |                             | 2 | 3 |   |   |  |
| 4OH-4L                          | 1545 / 362                           | 1469 / 344               | 1                           | 1 | 2 |   |   |  |
|                                 |                                      |                          |                             |   | 1 |   |   |  |
| 5OH-3L                          | 1895 / 600                           | 1839 / 583               |                             |   | 3 | 4 | 5 |  |
| 5OH-4L                          | 1895 / 449                           | 1839 / 436               |                             |   | 2 | 3 | 4 |  |
|                                 |                                      |                          |                             |   | 1 | 2 | 3 |  |
| 5OH-5L                          | 1895 / 359                           | 1839 / 348               |                             |   | 1 | 1 | 1 |  |

| Two-columns locker cabinet      |                                    |                          |                                                     |                           |                           |                           |                            |  |  |
|---------------------------------|------------------------------------|--------------------------|-----------------------------------------------------|---------------------------|---------------------------|---------------------------|----------------------------|--|--|
| Overall width (mm):             |                                    |                          | 800/900/1000/1100/1200                              |                           |                           |                           |                            |  |  |
| Overall depth (mm):             |                                    |                          | 445/500/550/600                                     |                           |                           |                           |                            |  |  |
| Height –<br>number of<br>levels | Cabinet<br>on chipboard plinth     | Cabinet<br>on metal base |                                                     |                           |                           |                           |                            |  |  |
|                                 | Overall height/door height<br>(mm) |                          |                                                     |                           |                           |                           |                            |  |  |
| 1.5OH-1L                        | 740/651                            | 740/655                  | <div>1</div> <div>2</div>                           | <div>3</div> <div>4</div> |                           |                           |                            |  |  |
| 1.5OH-2L                        | 740/324                            | 740/326                  |                                                     |                           |                           |                           |                            |  |  |
| 2OH-1L                          | 825/736                            | 765/680                  | <div>1</div> <div>2</div>                           | <div>3</div> <div>4</div> |                           |                           |                            |  |  |
| 2OH-2L                          | 825/367                            | 765/339                  |                                                     |                           |                           |                           |                            |  |  |
| 3OH-2L                          | 1155/532                           | 1117/515                 |                                                     |                           | <div>3</div> <div>4</div> | <div>5</div> <div>6</div> |                            |  |  |
| 3OH-3L                          | 1155/353                           | 1117/342                 |                                                     |                           | <div>1</div> <div>2</div> | <div>3</div> <div>4</div> |                            |  |  |
| 4OH-2L                          | 1545/727                           | 1469/691                 | <div>3</div> <div>4</div> <div>1</div> <div>2</div> |                           | <div>5</div> <div>6</div> | <div>7</div> <div>8</div> |                            |  |  |
| 4OH-3L                          | 1545/483                           | 1469/459                 |                                                     |                           | <div>3</div> <div>4</div> | <div>5</div> <div>6</div> |                            |  |  |
| 4OH-4L                          | 1545/362                           | 1469/344                 |                                                     |                           | <div>1</div> <div>2</div> | <div>3</div> <div>4</div> |                            |  |  |
| 5OH-3L                          | 1895/600                           | 1839/583                 |                                                     |                           | <div>5</div> <div>6</div> | <div>7</div> <div>8</div> | <div>9</div> <div>10</div> |  |  |
| 5OH-4L                          | 1895/449                           | 1839/436                 |                                                     |                           | <div>3</div> <div>4</div> | <div>5</div> <div>6</div> | <div>7</div> <div>8</div>  |  |  |
| 5OH-5L                          | 1895/359                           | 1839/348                 |                                                     |                           | <div>1</div> <div>2</div> | <div>3</div> <div>4</div> | <div>1</div> <div>2</div>  |  |  |


# Technical description

| Three-columns locker cabinet |                                 |                       |                 |   |   |   |   |   |                                  |
|------------------------------|---------------------------------|-----------------------|-----------------|---|---|---|---|---|----------------------------------|
| Overall width (mm):          |                                 |                       | 1050/1200/1350  |   |   |   |   |   |                                  |
| Overall depth (mm):          |                                 |                       | 445/500/550/600 |   |   |   |   |   |                                  |
| Height – number of levels    | Cabinet on chipboard plinth     | Cabinet on metal base |                 |   |   |   |   |   |                                  |
|                              | Overall height/door height (mm) |                       |                 |   |   |   |   |   |                                  |
| 1.5OH-1L                     | 740/651                         | 740/655               | 1               | 2 | 3 | 4 | 5 | 6 |                                  |
| 1.5OH-2L                     | 740/324                         | 740/326               | 1               | 2 | 3 | 1 | 2 | 3 |                                  |
| 2OH-1L                       | 825/736                         | 765/680               | 1               | 2 | 3 | 4 | 5 | 6 |                                  |
| 2OH-2L                       | 825/367                         | 765/339               | 1               | 2 | 3 | 1 | 2 | 3 |                                  |
| 3OH-2L                       | 1155/532                        | 1117/515              |                 |   |   | 4 | 5 | 6 | 7 8 9                            |
| 3OH-3L                       | 1155/353                        | 1117/342              |                 |   |   | 1 | 2 | 3 | 4 5 6<br>1 2 3                   |
| 4OH-2L                       | 1545/727                        | 1469/691              |                 |   |   | 4 | 5 | 6 | 7 8 9 10 11 12                   |
| 4OH-3L                       | 1545/483                        | 1469/459              |                 |   |   |   |   |   | 7 8 9<br>4 5 6<br>4 5 6          |
| 4OH-4L                       | 1545/362                        | 1469/344              |                 |   |   | 1 | 2 | 3 | 1 2 3<br>1 2 3                   |
| 5OH-3L                       | 1895/600                        | 1839/583              |                 |   |   |   |   |   | 7 8 9 10 11 12 13 14 15          |
| 5OH-4L*                      | 1895/449                        | 1839/436              |                 |   |   | 4 | 5 | 6 | 7 8 9 10 11 12<br>7 8 9<br>4 5 5 |
| 5OH-5L*                      | 1895/359                        | 1839/348              |                 |   |   | 1 | 2 | 3 | 1 2 3<br>1 2 3                   |

\* Unavailable configurations:


- height 5OH-4L, width 1200mm, depth 600mm,
- height 5OH-4L, width 1350mm, depth 600mm,
- height 5OH-5L, width 1200mm, depth 600mm,
- height 5OH-5L, width 1350mm, depth 550mm,
- height 5OH-5L, width 1350mm, depth 600mm.

## 1.6. Sample configurations




### Locker cabinet on chipboard plinth:

- one-column locker cabinet,
- full door,
- right door version,
- cylinder lock with interchangeable key insert,
- type 1 handle.



### Locker cabinet on metal base:


- two-columns cabinet,
- full door with letter slot,
- left and right door version,
- combination lock.



### Locker cabinet on metal base:

- three-columns cabinet,
- lower door,
- left door version,
- RFID electronic card lock.

**Note:** when combining locker cabinets with different heights, upper door edges may not be in the same line, i.e. arrangement with locker cabinets on metal base.



## 1.7. Assembly and packaging

Assembled, cardboard packaging (PACK-ASM)

**Note:** all locker cabinets with height 5 OH should be fixed to walls with the use of special angle brackets

# Technical description

## 2. Wardrobe cabinets

### 2.1. Models

- wardrobe cabinet on chipboard plinth
- wardrobe cabinet on metal base

### 2.2. Structure

#### 2.2.1. Carcass

- wardrobe cabinet on chipboard plinth – carcass and shelves made of melamine faced chipboard (MFC), thickness 18 mm, top thickness 25 mm,
- wardrobe cabinet on metal base – carcass, shelves and top made of melamine faced chipboard (MFC), thickness 18 mm.

Back for both wardrobe cabinets made of melamine faced chipboard (MFC), thickness 12 mm.

As standard shelf available for cabinets with height 5 OH only. No shelf for cabinets with height 4 OH.

#### 2.2.2. Door

Wardrobe cabinet door equipped with two hinges with an opening angle up to 110° and soft-close system.

##### Door types:

- full door (DT-F),
- no door (DT-N)

##### Door versions:

- left (V-L) – applicable to 600 mm wide cabinets only,
- right (V-R) – applicable to 600 mm wide cabinets only,
- left and right (V-LR) – applicable to 800 mm wide cabinets only.

##### Finish options:

- melamine faced chipboard (MFC), thickness 18 mm with 2 mm edge in glue technology.
- chipboard covered with laminate in white colour (whiteboard), thickness 18 mm with 2 mm laser edge.

#### 2.2.3. Base

- chipboard plinth,
- metal base, powder-coated in Traffic white RAL 9016 (WT), White aluminium RAL 9006 (WA), Slate grey RAL 7015 (GY), Jet black RAL 9005 (BL) and Fashion Collection colours.

#### 2.3. Other options

**Handles** – available in horizontal placement:

- type 1 – metal handle in alu, white, grey or black colour,
- type 2 – metal handle in alu colour.

##### Lock types:




- cylinder lock with interchangeable key insert.

**Note:** master key for cylinder lock emergency opening is not included as standard, available upon request.


##### Wardrobe rails:

- pull-out rail – for cabinet depth 445 mm,
- fixed rail – for cabinet depths 500–600 mm.

## 2.4. Product range


| Wardrobe cabinet    |                                         |                                   |                                                                                     |  |                                                                                       |
|---------------------|-----------------------------------------|-----------------------------------|-------------------------------------------------------------------------------------|--|---------------------------------------------------------------------------------------|
| Overall width (mm): |                                         |                                   | 600                                                                                 |  | 800                                                                                   |
| Overall depth (mm): |                                         |                                   | 445 / 500 / 550 / 600                                                               |  |                                                                                       |
| Overall height      | Cabinet height on chipboard plinth (mm) | Cabinet height on metal base (mm) |                                                                                     |  |                                                                                       |
| 4OH                 | 1545                                    | 1469                              |  |  |  |
| 5OH                 | 1895                                    | 1839                              |  |  |  |

## 2.5. Sample configurations




### Wardrobe cabinet on chipboard plinth:

- single door wardrobe cabinet,
- full door,
- left door version,
- cylinder lock with interchangeable key insert,
- type 1 handle.




### Wardrobe cabinet on metal base:

- double door wardrobe cabinet,
- full door,
- left and right door version,
- cylinder lock with interchangeable key insert,
- type 2 handle.



### Wardrobe cabinet on chipboard plinth:

- cabinet with no door,
- height 4 OH with no shelf,
- 445 mm depth, pull-out wardrobe rail.



### Wardrobe cabinet on metal base:

- cabinet with no door,
- height 5 OH with shelf,
- 600 mm depth, fixed wardrobe rail.

## 2.6. Assembly and packaging

Unassembled, cardboard packaging (PACK-UA)

Assembled, cardboard packaging (PACK-ASM)

**Note:** all wardrobe cabinets with height 5 OH should be fixed to walls with the use of special angle brackets.

## 3. Accessories

**Numbering** – numbers from 0 to 9 to be stuck on doors, made of black plexi material with adhesive layer on the reverse side, allowing easy and quick attachment to the fronts.

Business card holder – dimensions 100 × 60 mm (self-adhesive).

**Upholstered pad for cabinet back (sound-absorbing)** – made of chipboard, thickness 18 mm and width 8 mm, covered with non-woven fabric (polyester), overall thickness 56 mm, available for cabinets on metal base, only in following dimensions:

- width 800 mm, height 3 OH, 4 OH,
- width 1000 mm, height 3 OH, 4 OH,
- width 1200 mm, height 3 OH.

## 4. Technical regulations, certificates and quality marks (for selected product configurations)

Certificate approved compliance with:  
EN 14073–2.



# Price List

# Locker cabinets

|   |   |    |    |    |    |
|---|---|----|----|----|----|
| 5 | 9 | 10 | 13 | 14 | 15 |
| 4 | 7 | 8  | 10 | 11 | 12 |
| 3 | 5 | 6  | 7  | 8  | 9  |
| 2 | 3 | 4  | 4  | 5  | 6  |
| 1 | 1 | 2  | 1  | 2  | 3  |

## Puzlo locker cabinet on chipboard plinth

### PUZLO CABINET LOCKER ES

|   |   |   |   |   |   |   |  |  |  |  |   |  |  |  |  |   |  |  |
|---|---|---|---|---|---|---|--|--|--|--|---|--|--|--|--|---|--|--|
| 3 | 5 | 6 | 7 | 8 | 9 | A |  |  |  |  | B |  |  |  |  | C |  |  |
| 2 | 3 | 4 | 4 | 5 | 6 |   |  |  |  |  |   |  |  |  |  |   |  |  |
| 1 | 1 | 2 | 1 | 2 | 3 |   |  |  |  |  |   |  |  |  |  |   |  |  |

|  |                    |  |  |  |  |     |     |     |     |     |     |     |      |      |      |      |      |      |
|--|--------------------|--|--|--|--|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
|  | Number of columns  |  |  |  |  | 1   |     |     |     |     | 2   |     |      |      |      | 3    |      |      |
|  | Column width (mm)  |  |  |  |  | 400 | 450 | 500 | 550 | 600 | 400 | 450 | 500  | 550  | 600  | 350  | 400  | 450  |
|  | Overall width (mm) |  |  |  |  | 400 | 450 | 500 | 550 | 600 | 800 | 900 | 1000 | 1100 | 1200 | 1050 | 1200 | 1350 |

|        |                                               |  |  |  |  |     |     |     |     |     |     |     |     |     |     |     |     |     |
|--------|-----------------------------------------------|--|--|--|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| WC-●●● | Width<br>(number of columns and column width) |  |  |  |  | A40 | A45 | A50 | A55 | A60 | B40 | B45 | B50 | B55 | B60 | C35 | C40 | C45 |
|--------|-----------------------------------------------|--|--|--|--|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|

|      |       |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
|------|-------|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|
|      | Depth |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| D445 | 445mm |  |  |  |  | ● |  |  |  |  |  |  |  |  |  |  |  |  |
| D500 | 500mm |  |  |  |  | ○ |  |  |  |  |  |  |  |  |  |  |  |  |
| D550 | 550mm |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| D600 | 600mm |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |

|          |        |  |                  |  |                    |  |  |  |  |      |  |  |  |  |       |  |  |  |
|----------|--------|--|------------------|--|--------------------|--|--|--|--|------|--|--|--|--|-------|--|--|--|
|          | Height |  | Number of levels |  | Basic price (Euro) |  |  |  |  |      |  |  |  |  |       |  |  |  |
| 1.5OH-1L | 740mm  |  | 1                |  | 215                |  |  |  |  | 340  |  |  |  |  | 435   |  |  |  |
| 2OH-1L   | 825mm  |  |                  |  |                    |  |  |  |  |      |  |  |  |  |       |  |  |  |
| 1.5OH-2L | 740mm  |  | 2                |  | 340                |  |  |  |  | 580  |  |  |  |  | 755   |  |  |  |
| 2OH-2L   | 825mm  |  |                  |  |                    |  |  |  |  |      |  |  |  |  |       |  |  |  |
| 3OH-2L   | 1155mm |  |                  |  |                    |  |  |  |  |      |  |  |  |  |       |  |  |  |
| 4OH-2L   | 1545mm |  |                  |  |                    |  |  |  |  |      |  |  |  |  |       |  |  |  |
| 3OH-3L   | 1155mm |  | 3                |  | 435                |  |  |  |  | 755  |  |  |  |  | 970   |  |  |  |
| 4OH-3L   | 1545mm |  |                  |  |                    |  |  |  |  |      |  |  |  |  |       |  |  |  |
| 5OH-3L   | 1895mm |  |                  |  |                    |  |  |  |  |      |  |  |  |  |       |  |  |  |
| 4OH-4L   | 1545mm |  | 4                |  | 580                |  |  |  |  | 880  |  |  |  |  | 1160* |  |  |  |
| 5OH-4L   | 1895mm |  |                  |  |                    |  |  |  |  |      |  |  |  |  |       |  |  |  |
| 5OH-5L   | 1895mm |  | 5                |  | 650                |  |  |  |  | 1015 |  |  |  |  | 1350* |  |  |  |

|      |                                                                    |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
|------|--------------------------------------------------------------------|--|--|--|--|---|--|--|--|--|--|--|--|--|--|--|--|--|
|      | Carcass finish (sides, back, bottom part, dividing walls, shelves) |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| CF-① | Melamine faced chipboard (MFC)                                     |  |  |  |  | ● |  |  |  |  |  |  |  |  |  |  |  |  |
|      | Top finish                                                         |  |  |  |  |   |  |  |  |  |  |  |  |  |  |  |  |  |
| TF-① | Melamine faced chipboard (MFC)                                     |  |  |  |  | ● |  |  |  |  |  |  |  |  |  |  |  |  |

\* Unavailable configurations:

- height 5OH-4L, width 1200mm, depth 600mm,
- height 5OH-4L, width 1350mm, depth 600mm,
- height 5OH-5L, width 1200mm, depth 600mm,
- height 5OH-5L, width 1350mm, depth 550mm,
- height 5OH-5L, width 1350mm, depth 600mm.

① – Please specify colour code for MFC – see finishes

- Available as standard (included in basic price)
- Available as an option (included in basic price)

To complete product configuration select options on next pages →

## PUZLO CABINET LOCKER ES

|             | Number of columns                                                                                                                                      |                                         | 1                                    |     |     |     |     | 2   |     |      |      |      | 3             |      |      |  |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|--------------------------------------|-----|-----|-----|-----|-----|-----|------|------|------|---------------|------|------|--|
|             | Column width (mm)                                                                                                                                      |                                         | 400                                  | 450 | 500 | 550 | 600 | 400 | 450 | 500  | 550  | 600  | 350           | 400  | 450  |  |
|             | Overall width (mm)                                                                                                                                     |                                         | 400                                  | 450 | 500 | 550 | 600 | 800 | 900 | 1000 | 1100 | 1200 | 1050          | 1200 | 1350 |  |
|             | Door version                                                                                                                                           |                                         |                                      |     |     |     |     |     |     |      |      |      |               |      |      |  |
| DT-F        | Full door                                                                                                                                              | No shelf inside unit                    | ●                                    |     |     |     |     |     |     |      |      |      |               |      |      |  |
| DT-FS       |                                                                                                                                                        | Shelf inside unit                       | 15 per locker                        |     |     |     |     |     |     |      |      |      |               |      |      |  |
| DT-LS-W     |                                                                                                                                                        | Shelf inside unit and white letter slot | 30 per locker                        |     |     |     |     |     |     |      |      | —    | 30 per locker |      |      |  |
| DT-LS-B     |                                                                                                                                                        | Shelf inside unit and black letter slot |                                      |     |     |     |     |     |     |      |      |      |               |      |      |  |
| DT-LF       | Lower door                                                                                                                                             | Shelf inside unit                       | 15 per locker                        |     |     |     |     |     |     |      |      |      |               |      |      |  |
|             | Door version                                                                                                                                           |                                         |                                      |     |     |     |     |     |     |      |      |      |               |      |      |  |
| V-L         | Left                                                                                                                                                   |                                         | ●                                    |     |     |     |     |     |     |      |      |      |               |      |      |  |
| V-R         | Right                                                                                                                                                  |                                         | ○                                    |     |     |     |     |     |     |      |      |      |               |      |      |  |
| V-LR        | Left and right                                                                                                                                         |                                         | —                                    |     |     |     | ○   |     |     |      |      | —    |               |      |      |  |
|             | Lock                                                                                                                                                   |                                         |                                      |     |     |     |     |     |     |      |      |      |               |      |      |  |
| LO-CC-MID   | Cylinder lock with interchangeable key insert – not applicable to combined options: full door without letter slot (DT-F, DT-FS) with option no handles |                                         | ●                                    |     |     |     |     |     |     |      |      |      |               |      |      |  |
| LO-CB-MID   | Combination lock in black colour, fix code                                                                                                             |                                         | 30 per locker                        |     |     |     |     |     |     |      |      |      |               |      |      |  |
| LO-FB-MID   | Combination lock in black colour, free code                                                                                                            |                                         |                                      |     |     |     |     |     |     |      |      |      |               |      |      |  |
| LO-RB-MID   | RFID electronic card lock in black colour                                                                                                              |                                         | 210 per unit + 40 for entire cabinet |     |     |     |     |     |     |      |      |      |               |      |      |  |
|             | Handle                                                                                                                                                 |                                         |                                      |     |     |     |     |     |     |      |      |      |               |      |      |  |
| TA-ES-H-③   | Type 1                                                                                                                                                 |                                         | ●                                    |     |     |     |     |     |     |      |      |      |               |      |      |  |
| TA-SQ-H-ALU | Type 2                                                                                                                                                 | Alu                                     | ○                                    |     |     |     |     |     |     |      |      |      |               |      |      |  |
|             | No handles – not available for combined options: full door without letter slot (DT-F, DT-FS) with cylinder lock                                        |                                         | – 4 per locker                       |     |     |     |     |     |     |      |      |      |               |      |      |  |

③ – Please specify metal colour code – [see finishes](#)

To complete product configuration select options on next pages →

- Available as standard (included in basic price)
- Available as an option (included in basic price)

# Locker cabinets

## PUZLO CABINET LOCKER ES

| Number of columns         |                                                         | 1               |     |     |     |     | 2   |     |      |      |      | 3    |      |      |
|---------------------------|---------------------------------------------------------|-----------------|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| Column width (mm)         |                                                         | 400             | 450 | 500 | 550 | 600 | 400 | 450 | 500  | 550  | 600  | 350  | 400  | 450  |
| Overall width (mm)        |                                                         | 400             | 450 | 500 | 550 | 600 | 800 | 900 | 1000 | 1100 | 1200 | 1050 | 1200 | 1350 |
| Door finish               |                                                         |                 |     |     |     |     |     |     |      |      |      |      |      |      |
| MO-①                      | Monocolour                                              | ●               |     |     |     |     |     |     |      |      |      |      |      |      |
| CCA-①/①/①                 | Colour concept A                                        | ○               |     |     |     |     |     |     |      |      |      |      |      |      |
| CCB-①/①                   | Colour concept B                                        |                 |     |     |     |     |     |     |      |      |      |      |      |      |
| CCC-①/①                   | Colour concept C                                        |                 |     |     |     |     |     |     |      |      |      |      |      |      |
|                           | Multicolour – to be selected below                      |                 |     |     |     |     |     |     |      |      |      |      |      |      |
| Door – multicolour finish |                                                         |                 |     |     |     |     |     |     |      |      |      |      |      |      |
| ①                         | Melamine faced chipboard (MFC), edge in glue technology | ●               |     |     |     |     |     |     |      |      |      |      |      |      |
| FU                        | Whiteboard – laser edge                                 | 70 per locker   |     |     |     |     |     |     |      |      |      |      |      |      |
| 0                         | No door                                                 | – 20 per locker |     |     |     |     |     |     |      |      |      |      |      |      |
| Packaging                 |                                                         |                 |     |     |     |     |     |     |      |      |      |      |      |      |
| PACK-ASM                  | Assembled, cardboard packaging                          | ●               |     |     |     |     |     |     |      |      |      |      |      |      |

① – Please specify colour code for MFC – [see finishes](#)

● Available as standard (included in basic price)

○ Available as an option (included in basic price)

|          |                                               |    |                  |    |    |                                                                    |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
|----------|-----------------------------------------------|----|------------------|----|----|--------------------------------------------------------------------|-----|-----|-----|-----|------|-----|-----|-----|-----|-------|-----|------|------|------|------|------|------|
| 5        | 9                                             | 10 | 13               | 14 | 15 | Puzlo locker cabinet on metal base                                 |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| 4        | 7                                             | 8  | 10               | 11 | 12 | PUZLO CABINET LOCKER SQ                                            |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| 3        | 5                                             | 6  | 7                | 8  | 9  |                                                                    |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| 2        | 3                                             | 4  | 4                | 5  | 6  |                                                                    |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| 1        | 1                                             | 2  | 1                | 2  | 3  |                                                                    |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
|          |                                               |    |                  |    |    | A                                                                  |     |     |     |     | B    |     |     |     |     | C     |     |      |      |      |      |      |      |
|          |                                               |    |                  |    |    | 1                                                                  |     |     |     |     | 2    |     |     |     |     | 3     |     |      |      |      |      |      |      |
|          |                                               |    |                  |    |    | Column width (mm)                                                  |     |     |     |     | 400  | 450 | 500 | 550 | 600 | 400   | 450 | 500  | 550  | 600  | 350  | 400  | 450  |
|          |                                               |    |                  |    |    | Overall width (mm)                                                 |     |     |     |     | 400  | 450 | 500 | 550 | 600 | 800   | 900 | 1000 | 1100 | 1200 | 1050 | 1200 | 1350 |
| WC-●●●   | Width<br>(number of columns and column width) |    |                  |    |    | A40                                                                | A45 | A50 | A55 | A60 | B40  | B45 | B50 | B55 | B60 | C35   | C40 | C45  |      |      |      |      |      |
|          | Depth                                         |    |                  |    |    |                                                                    |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| D445     | 445mm                                         |    |                  |    |    | ●                                                                  |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| D500     | 500mm                                         |    |                  |    |    | ○                                                                  |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| D550     | 550mm                                         |    |                  |    |    |                                                                    |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| D600     | 600mm                                         |    |                  |    |    |                                                                    |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
|          | Height                                        |    | Number of levels |    |    | Basic price (Euro)                                                 |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| 1.5OH-1L | 740mm                                         |    | 1                |    |    | 291                                                                |     |     |     |     | 459  |     |     |     |     | 588   |     |      |      |      |      |      |      |
| 2OH-1L   | 765mm                                         |    |                  |    |    |                                                                    |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| 1.5OH-2L | 740mm                                         |    | 2                |    |    | 459                                                                |     |     |     |     | 783  |     |     |     |     | 1020  |     |      |      |      |      |      |      |
| 2OH-2L   | 765mm                                         |    |                  |    |    |                                                                    |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| 3OH-2L   | 1117mm                                        |    |                  |    |    |                                                                    |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| 4OH-2L   | 1469mm                                        |    |                  |    |    |                                                                    |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| 3OH-3L   | 1117mm                                        |    | 3                |    |    | 588                                                                |     |     |     |     | 1020 |     |     |     |     | 1310  |     |      |      |      |      |      |      |
| 4OH-3L   | 1469mm                                        |    |                  |    |    |                                                                    |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| 5OH-3L   | 1839mm                                        |    |                  |    |    |                                                                    |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| 4OH-4L   | 1469mm                                        |    | 4                |    |    | 783                                                                |     |     |     |     | 1188 |     |     |     |     | 1566* |     |      |      |      |      |      |      |
| 5OH-4L   | 1839mm                                        |    |                  |    |    |                                                                    |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| 5OH-5L   | 1839mm                                        |    | 5                |    |    | 878                                                                |     |     |     |     | 1371 |     |     |     |     | 1823* |     |      |      |      |      |      |      |
|          |                                               |    |                  |    |    | Carcass finish (sides, back, bottom part, dividing walls, shelves) |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| CF-①     | Melamine faced chipboard (MFC)                |    |                  |    |    | ●                                                                  |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
|          |                                               |    |                  |    |    | Top finish                                                         |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |
| TF-①     | Melamine faced chipboard (MFC)                |    |                  |    |    | ●                                                                  |     |     |     |     |      |     |     |     |     |       |     |      |      |      |      |      |      |

\* Unavailable configurations:

- height 5OH-4L, width 1200mm, depth 600mm,
- height 5OH-4L, width 1350mm, depth 600mm,
- height 5OH-5L, width 1200mm, depth 600mm,
- height 5OH-5L, width 1350mm, depth 550mm,
- height 5OH-5L, width 1350mm, depth 600mm.

① – Please specify colour code for MFC – [see finishes](#)

- Available as standard (included in basic price)
- Available as an option (included in basic price)

To complete product configuration select options on next pages →

# Locker cabinets

## PUZLO CABINET LOCKER SQ

|             |                                                                                                                                                        | Number of columns                       | 1                                    |     |     |     |     | 2   |     |      |      |      | 3    |               |      |  |  |
|-------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|--------------------------------------|-----|-----|-----|-----|-----|-----|------|------|------|------|---------------|------|--|--|
|             |                                                                                                                                                        | Column width (mm)                       | 400                                  | 450 | 500 | 550 | 600 | 400 | 450 | 500  | 550  | 600  | 350  | 400           | 450  |  |  |
|             |                                                                                                                                                        | Overall width (mm)                      | 400                                  | 450 | 500 | 550 | 600 | 800 | 900 | 1000 | 1100 | 1200 | 1050 | 1200          | 1350 |  |  |
|             | Door version                                                                                                                                           |                                         |                                      |     |     |     |     |     |     |      |      |      |      |               |      |  |  |
| DT-F        | Full door                                                                                                                                              | No shelf inside unit                    | ●                                    |     |     |     |     |     |     |      |      |      |      |               |      |  |  |
| DT-FS       |                                                                                                                                                        | Shelf inside unit                       | 15 per locker                        |     |     |     |     |     |     |      |      |      |      |               |      |  |  |
| DT-LS-W     |                                                                                                                                                        | Shelf inside unit and white letter slot | 30 per locker                        |     |     |     |     |     |     |      |      |      | —    | 30 per locker |      |  |  |
| DT-LS-B     |                                                                                                                                                        | Shelf inside unit and black letter slot |                                      |     |     |     |     |     |     |      |      |      |      |               |      |  |  |
| DT-LF       | Lower door                                                                                                                                             | Shelf inside unit                       | 15 per locker                        |     |     |     |     |     |     |      |      |      |      |               |      |  |  |
|             | Door version                                                                                                                                           |                                         |                                      |     |     |     |     |     |     |      |      |      |      |               |      |  |  |
| V-L         | Left                                                                                                                                                   |                                         | ●                                    |     |     |     |     |     |     |      |      |      |      |               |      |  |  |
| V-R         | Right                                                                                                                                                  |                                         | ○                                    |     |     |     |     |     |     |      |      |      |      |               |      |  |  |
| V-LR        | Left and right                                                                                                                                         |                                         | —                                    |     |     |     |     | ○   |     |      |      |      | —    |               |      |  |  |
|             | Lock                                                                                                                                                   |                                         |                                      |     |     |     |     |     |     |      |      |      |      |               |      |  |  |
| LO-CC-MID   | Cylinder lock with interchangeable key insert – not applicable to combined options: full door without letter slot (DT-F, DT-FS) with option no handles |                                         | ●                                    |     |     |     |     |     |     |      |      |      |      |               |      |  |  |
| LO-CB-MID   | Combination lock in black colour, fix code                                                                                                             |                                         | 30 per locker                        |     |     |     |     |     |     |      |      |      |      |               |      |  |  |
| LO-FB-MID   | Combination lock in black colour, free code                                                                                                            |                                         |                                      |     |     |     |     |     |     |      |      |      |      |               |      |  |  |
| LO-RB-MID   | RFID electronic card lock in black colour                                                                                                              |                                         | 210 per unit + 40 for entire cabinet |     |     |     |     |     |     |      |      |      |      |               |      |  |  |
|             | Handle                                                                                                                                                 |                                         |                                      |     |     |     |     |     |     |      |      |      |      |               |      |  |  |
| TA-ES-H-③   | Type 1                                                                                                                                                 |                                         | ●                                    |     |     |     |     |     |     |      |      |      |      |               |      |  |  |
| TA-SQ-H-ALU | Type 2                                                                                                                                                 | Alu                                     | ○                                    |     |     |     |     |     |     |      |      |      |      |               |      |  |  |
|             | No handles – not available for combined options: full door without letter slot (DT-F, DT-FS) with cylinder lock                                        |                                         | – 4 per locker                       |     |     |     |     |     |     |      |      |      |      |               |      |  |  |

③ – Please specify metal colour code – [see finishes](#)

● Available as standard (included in basic price)

○ Available as an option (included in basic price)

To complete product configuration select options on next pages →

PUZLO CABINET LOCKER SQ

| Number of columns         |                                                         | 1               |     |     |     |     | 2   |     |      |      |      | 3    |      |      |
|---------------------------|---------------------------------------------------------|-----------------|-----|-----|-----|-----|-----|-----|------|------|------|------|------|------|
| Column width (mm)         |                                                         | 400             | 450 | 500 | 550 | 600 | 400 | 450 | 500  | 550  | 600  | 350  | 400  | 450  |
| Overall width (mm)        |                                                         | 400             | 450 | 500 | 550 | 600 | 800 | 900 | 1000 | 1100 | 1200 | 1050 | 1200 | 1350 |
| Door finish               |                                                         |                 |     |     |     |     |     |     |      |      |      |      |      |      |
| MO-(1)                    | Monocolour                                              | ●               |     |     |     |     |     |     |      |      |      |      |      |      |
| CCA-(1)/(1)/(1)           | Colour concept A                                        | ○               |     |     |     |     |     |     |      |      |      |      |      |      |
| CCB-(1)/(1)               | Colour concept B                                        |                 |     |     |     |     |     |     |      |      |      |      |      |      |
| CCC-(1)/(1)               | Colour concept C                                        |                 |     |     |     |     |     |     |      |      |      |      |      |      |
|                           | Multicolour – to be selected below                      |                 |     |     |     |     |     |     |      |      |      |      |      |      |
| Door – multicolour finish |                                                         |                 |     |     |     |     |     |     |      |      |      |      |      |      |
| (1)                       | Melamine faced chipboard (MFC), edge in glue technology | ●               |     |     |     |     |     |     |      |      |      |      |      |      |
| FU                        | Whiteboard – laser edge                                 | 70 per locker   |     |     |     |     |     |     |      |      |      |      |      |      |
| 0                         | No door                                                 | – 20 per locker |     |     |     |     |     |     |      |      |      |      |      |      |
| Metal base                |                                                         |                 |     |     |     |     |     |     |      |      |      |      |      |      |
| BC-(3)                    | Powder-coated steel                                     | ●               |     |     |     |     |     |     |      |      |      |      |      |      |
| Packaging                 |                                                         |                 |     |     |     |     |     |     |      |      |      |      |      |      |
| PACK-ASM                  | Assembled, cardboard packaging                          | ●               |     |     |     |     |     |     |      |      |      |      |      |      |


(1) – Please specify colour code for MFC – [see finishes](#)

(3) – Please specify metal colour code – [see finishes](#)

● Available as standard (included in basic price)

○ Available as an option (included in basic price)

# Wardrobe cabinets



## Puzlo wardrobe on chipboard plinth

### PUZLO WARDROBE ES

| W••• | Width (mm)                                       |        | 600                |     | 800 |     |
|------|--------------------------------------------------|--------|--------------------|-----|-----|-----|
| D445 | Depth (mm)                                       |        | 445                |     |     |     |
| D500 |                                                  |        | 500                |     |     |     |
| D550 |                                                  |        | 550                |     |     |     |
| D600 |                                                  |        | 600                |     |     |     |
|      | Height                                           |        | Basic price (Euro) |     |     |     |
| 4OH  | 4OH                                              | 1545mm | 265                |     | 335 |     |
| 5OH  | 5OH                                              | 1895mm | 325                |     | 410 |     |
|      | Carcass finish (sides, back, bottom part, shelf) |        |                    |     |     |     |
| CF-① | Melamine faced chipboard (MFC)                   |        | ●                  |     |     |     |
|      | Top finish                                       |        |                    |     |     |     |
| TF-① | Melamine faced chipboard (MFC)                   |        | ●                  |     |     |     |
|      | Door type                                        |        |                    |     |     |     |
| DT-F | Full door                                        |        | ●                  | —   | ●   | —   |
| DT-N | No door                                          |        | —                  | —30 | —   | —40 |
|      | Door version                                     |        |                    |     |     |     |
| V-L  | Left                                             |        | ●                  | —   | —   | —   |
| V-R  | Right                                            |        | ○                  |     | —   |     |
| V-LR | Left and right                                   |        | —                  |     | ●   |     |
|      | No door                                          |        |                    |     | ○   | —   |

① – Please specify colour code for MFC – [see finishes](#)

• Available as standard (included in basic price)

○ Available as an option (included in basic price)

To complete product configuration select options on next pages →

# Wardrobe cabinets

## PUZLO WARDROBE ES

| W●●●         | Width (mm)                                                                             |     | 600 |   | 800 |   |
|--------------|----------------------------------------------------------------------------------------|-----|-----|---|-----|---|
|              | Lock                                                                                   |     |     |   |     |   |
| LO-CC        | Cylinder lock with interchangeable key insert                                          |     | ●   | — | ●   | — |
|              | No lock                                                                                |     | —   | ○ | —   | ○ |
|              | Handle                                                                                 |     |     |   |     |   |
| TA-ES-H-③    | Type 1                                                                                 |     | ●   | — | ●   | — |
| TA-SQ-H-ALU  | Type 2                                                                                 | Alu | ○   |   | ○   |   |
|              | No handles                                                                             |     | —   | ○ | —   | ○ |
|              | Door finish                                                                            |     |     |   |     |   |
| DF-①         | Melamine faced chipboard (MFC), edge in glue technology                                |     | ●   | — | ●   | — |
| DF-FU        | Whiteboard, laser edge                                                                 |     | 220 |   | 370 |   |
|              | Packaging                                                                              |     |     |   |     |   |
| PACK-UA      | RoAssembled, cardboard packaging                                                       |     | ●   |   |     |   |
| PACK-ASM     | Assembled, cardboard packaging                                                         |     | ○   |   |     |   |
| Sample order | PUZLO WARDROBE ES (W600 D445 4OH CF-BI TF-BI DT-F V-L LO-CC TA-SQ-H-ALU DF-BI PACK-UA) |     |     |   |     |   |


① – Please specify colour code for MFC – [see finishes](#)

③ – Please specify metal colour code – [see finishes](#)

• Available as standard (included in basic price)

○ Available as an option (included in basic price)

# Wardrobe cabinets



## Puzlo wardrobe on metal base

### PUZLO WARDROBE SQ

| W●●● | Width (mm)                                       |        | 600                |      | 800 |      |
|------|--------------------------------------------------|--------|--------------------|------|-----|------|
| D445 | Depth (mm)                                       |        | 445                |      |     |      |
| D500 |                                                  |        | 500                |      |     |      |
| D550 |                                                  |        | 550                |      |     |      |
| D600 |                                                  |        | 600                |      |     |      |
|      | Height                                           |        | Basic price (Euro) |      |     |      |
| 4OH  | 4OH                                              | 1545mm | 310                |      | 410 |      |
| 5OH  | 5OH                                              | 1895mm | 370                |      | 475 |      |
|      | Carcass finish (sides, back, bottom part, shelf) |        |                    |      |     |      |
| CF-① | Melamine faced chipboard (MFC)                   |        | ●                  |      |     |      |
|      | Top finish                                       |        |                    |      |     |      |
| TF-① | Melamine faced chipboard (MFC)                   |        | ●                  |      |     |      |
|      | Door type                                        |        |                    |      |     |      |
| DT-F | Full door                                        |        | ●                  | —    | ●   | —    |
| DT-N | No door                                          |        | —                  | — 30 | —   | — 40 |
|      | Door version                                     |        |                    |      |     |      |
| V-L  | Left                                             |        | ●                  | —    | —   | —    |
| V-R  | Right                                            |        | ○                  |      | —   |      |
| V-LR | Left and right                                   |        | —                  | ○    | ●   | ○    |
|      | No door                                          |        |                    |      | —   |      |

① – Please specify colour code for MFC – [see finishes](#)

To complete product configuration select options on next pages →

- Available as standard (included in basic price)
- Available as an option (included in basic price)

# Wardrobe cabinets

## PUZLO WARDROBE SQ

|                                                                                              |                                                         |     |     |   |     |   |
|----------------------------------------------------------------------------------------------|---------------------------------------------------------|-----|-----|---|-----|---|
| W●●●                                                                                         | Width (mm)                                              |     | 600 |   | 800 |   |
|                                                                                              | Lock                                                    |     |     |   |     |   |
| LO-CC                                                                                        | Cylinder lock with interchangeable key insert           |     | ●   | — | ●   | — |
|                                                                                              | No lock                                                 |     | —   | ○ | —   | ○ |
|                                                                                              | Handle                                                  |     |     |   |     |   |
| TA-ES-H-③                                                                                    | Type 1                                                  |     | ●   | — | ●   | — |
| TA-SQ-H-ALU                                                                                  | Type 2                                                  | Alu | ○   |   | ○   |   |
|                                                                                              | No handles                                              |     | —   | ○ | —   | ○ |
|                                                                                              | Door finish                                             |     |     |   |     |   |
| DF-①                                                                                         | Melamine faced chipboard (MFC), edge in glue technology |     | ●   | — | ●   | — |
| DF-FU                                                                                        | Whiteboard, laser edge                                  |     | 220 |   | 370 |   |
|                                                                                              | Metal base                                              |     |     |   |     |   |
| BC-③                                                                                         | Powder-coated steel                                     |     | ●   |   |     |   |
|                                                                                              | Packaging                                               |     |     |   |     |   |
| PACK-UA                                                                                      | RoAssembled, cardboard packaging                        |     | ●   |   |     |   |
| PACK-ASM                                                                                     | Assembled, cardboard packaging                          |     | ○   |   |     |   |
| Sample order                                                                                 |                                                         |     |     |   |     |   |
| PUZLO WARDROBE SQ (W600 D445 4OH CF-BI TF-BI DT-F V-L LO-CC TA-SQ-H-ALU DF-BI BC-BL PACK-UA) |                                                         |     |     |   |     |   |


① – Please specify colour code for MFC – [see finishes](#)

③ – Please specify metal colour code – [see finishes](#)

• Available as standard (included in basic price)

○ Available as an option (included in basic price)

# Accessories



## Numbering

### FURNITURE ACCESSORY DD

- Black plexi with adhesive layer
- Height 41 mm
- Thickness 3 mm

| Digit        |                            | Basic price (Euro) |
|--------------|----------------------------|--------------------|
| 0            | Single digit 0             | 2                  |
| 1            | Single digit 1             |                    |
| 2            | Single digit 2             |                    |
| 3            | Single digit 3             |                    |
| 4            | Single digit 4             |                    |
| 5            | Single digit 5             |                    |
| 6            | Single digit 6             |                    |
| 7            | Single digit 7             |                    |
| 8            | Single digit 8             |                    |
| 9            | Single digit 9             |                    |
| Sample order | FURNITURE ACCESSORY DD (6) |                    |



## Numbering assembly template

### FURNITURE ACCESSORY DDT

- Digit positioning template
- Separate template for each digit

| Assembly template |                             | Basic price (Euro) |
|-------------------|-----------------------------|--------------------|
| 0                 | For digit 0                 | 2                  |
| 1                 | For digit 1                 |                    |
| 2                 | For digit 2                 |                    |
| 3                 | For digit 3                 |                    |
| 4                 | For digit 4                 |                    |
| 5                 | For digit 5                 |                    |
| 6                 | For digit 6                 |                    |
| 7                 | For digit 7                 |                    |
| 8                 | For digit 8                 |                    |
| 9                 | For digit 9                 |                    |
| Sample order      | FURNITURE ACCESSORY DDT (6) |                    |



## Numbering assembly template – bottom right corner

### FURNITURE ACCESSORY EDT

- Bottom right corner
- 40mm distance from right edge
- 45mm distance from bottom edge

Basic price (Euro)

2

Sample order FURNITURE ACCESSORY EDT



## Business card holder


### FURNITURE ACCESSORY BCC

- With adhesive layer
- 100mm x 60mm

Basic price (Euro)

2

Sample order FURNITURE ACCESSORY BCC



## Upholstered pad for cabinet back (sound-absorbing)

### FURNITURE ACCESSORY BP UPH

- Available for cabinets on metal base

Basic price (Euro)

|                                                |            |             |   |                    |     |      |     |      |     |
|------------------------------------------------|------------|-------------|---|--------------------|-----|------|-----|------|-----|
| W••••                                          | Width (mm) |             |   | 800                |     | 1000 |     | 1200 |     |
| •OH                                            | Height     |             |   | 3OH                | 4OH | 3OH  | 4OH | 3OH  | 4OH |
| Finish                                         |            |             |   | Basic price (Euro) |     |      |     |      |     |
| BF-⑤                                           | Upholstery | Price group | 4 | 186                | 213 | 204  | 233 | 224  | 251 |
| Sample order                                   |            |             |   |                    |     |      |     |      |     |
| FURNITURE ACCESSORY BP UPH (W800 3OH BF-CUZ58) |            |             |   |                    |     |      |     |      |     |

⑤ – Please specify upholstery colour code from selected price group – [see finishes](#)















# Finishes





# Finishes

## 4 PRICE GROUP

### CUZ | Blazer

|                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                   |                                                                                    |                                                                                     |                                                                                     |                                                                                     |
|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
|  |  |  |  |  |  |  |  |  |  |
| CUZ67<br>(4W)                                                                     | CUZ30<br>(9O)                                                                     | CUZ1E<br>(9K)                                                                     | CUZ28<br>(9A)                                                                     | CUZ2Q<br>(4M)                                                                     | CUZ63<br>(4K)                                                                     | CUZ13<br>(4R)                                                                      | CUZ58<br>(9B)                                                                       | CUZ82<br>(4P)                                                                       | CUZ2W<br>(4O)                                                                       |
|  |  |  |  |  |  |  |  |  |  |
| CUZ53<br>(4I)                                                                     | CUZ1K<br>(9X)                                                                     | CUZ1N<br>(4S)                                                                     | CUZ1P<br>(9M)                                                                     | CUZ3B<br>(4V)                                                                     | CUZ33<br>(4U)                                                                     | CUZ1R<br>(9N)                                                                      | CUZ2Z<br>(4T)                                                                       | CUZ1W<br>(9E)                                                                       | CUZ21<br>(9F)                                                                       |

### LDS | Synergy

|                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                     |                                                                                      |                                                                                       |                                                                                      |                                                                                      |
|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|
|   |   |   |   |   |   |   |   |  |  |
| LDS17<br>(6O)                                                                       | LDS32<br>(3U)                                                                       | LDS08<br>(6M)                                                                       | LDS79<br>(3I)                                                                       | LDS77<br>(3S)                                                                       | LDS73<br>(6G)                                                                       | LDS74<br>(6A)                                                                        | LDS45<br>(6F)                                                                         | LDS44<br>(3M)                                                                        | LDS28<br>(6X)                                                                        |
|  |  |  |  |  |  |  |  |                                                                                      |                                                                                      |
| LDS46<br>(3N)                                                                       | LDS47<br>(3O)                                                                       | LDS56<br>(6J)                                                                       | LDS62<br>(3F)                                                                       | LDS59<br>(3T)                                                                       | LDS49<br>(3R)                                                                       | LDS63<br>(6L)                                                                        | LDS55<br>(6D)                                                                         |                                                                                      |                                                                                      |

# Finishes


## Melamine faced chipboard (MFC)\*

for tops / carcass / backs / fronts / shelves



## Melamine faced chipboard (MFC)\*

for fronts




## Laminate

for fronts



## Metal

for handle



## Metal

for metal frames



"Fashion collection" \*\*



\* MFC panel with the formaldehyde emissivity reduced by half, compared to the European standard E1 (meeting the requirements of the new German regulation concerning the emission of formaldehyde by wood-based materials, valid from 01.01.2020).

\*\* Products ordered in colours from "Fashion Collection" are available with a longer lead time.

The colours of products and finishes may slightly differ from the colours printed in the price list.



# General

## Business Conditions

General terms of product use,  
maintenance and cleaning

# General Business Conditions

## 1. Prices

This price list is expressed in EURO and takes effect as of February 2022. This price list supersedes previous price lists, what means that all previous price lists now become invalid.

Prices are exclusive of delivery and installation / assembly costs. The delivery and installation / assembly costs will be invoiced at fixed prices agreed by the parties. Prices are net and do not include VAT (Value Added Tax). Please note that some chairs are sold assembled. In such situations Nowy Styl sp. z o.o. (further referred to as Nowy Styl sp. z o.o.) does not charge an additional fee for installation / assembly.

## 2. Orders

All orders must be submitted in a written or a document like form such as fax, e-mail etc. to avoid errors or duplication. Orders can be placed via EDI after mutual agreement.

After receiving the purchase order, the seller shall be entitled either to accept entirely the purchase order, to accept the purchase order in part, or to reject the purchase order (the "order confirmation") within 5 business days as of receiving the final order clarification. The Order binds the seller only after its written or document like form (including e-mail) confirmation by an authorized representative / representatives of the seller. The order can only be rejected by the Seller in case of a major mismatch of the required delivery time or any other case which makes it impossible to the Seller to fulfil obligation.

Written orders will be accepted in the form of a signed and approved seller's proposal or in the form of a buyer's purchase order. No phone orders will be accepted. Orders cannot be changed or cancelled once the order had been confirmed in writing by Nowy Styl sp. z o.o., unless the parties have agreed otherwise.

### Shipping delays:

Shipping date specified in seller's proposal is seller's best estimation of shipping date at the time of proposal. However, the seller shall not be held responsible to the purchaser for failure to ship by a particular date unless the seller has agreed to an explicit shipping date in a separate written document signed by seller's authorized officer.

### Shipping suspension:

In the event if the purchaser defaults in any payment due to the seller, the seller shall have the right, after prior notice to the purchaser, to defer or discontinue shipment of any goods permanently or until such time as the default is corrected or the purchaser provides assurance of payment in such form, content and / or amount as the seller deems adequate.

## 3. Delivery

Deliveries will take place according to EXW Poland, Incoterms 2010, unless otherwise expressly agreed. Products are dispatched

wrapped in standard packaging. The goods are delivered according to Nowy Styl sp. z o.o. practices unless specific packing, labeling, marking or means of transportation are requested by the buyer and confirmed by Nowy Styl sp. z o.o.

The confirmed delivery date is an estimated date only. Nowy Styl sp. z o.o. cannot be held responsible for any loss that the buyer may suffer due to a delayed delivery or lack of delivery.

## 4. Payment

Terms of payment shall be agreed with the buyer. Unless otherwise agreed, payment for a consignment must be effected in accordance with the payment terms indicated on commercial invoice and order confirmation.

Nowy Styl sp. z o.o. reserves the ownership of all goods sold, which are explicitly described on order confirmation, until the purchase amount has been paid in full. The buyer is responsible to Nowy Styl sp. z o.o. for any damage that the goods sold may suffer, until the goods have been paid for. Unless otherwise agreed, payments shall be made in the currency referenced on the invoice.

Transfer of payments shall be made by electronic means directly to Nowy Styl sp. z o.o. bank account. Should any change occur in buyer's financial and economic position, and Nowy Styl sp. z o.o. deems buyer's solvency situation to be changed, Nowy Styl sp. z o.o. may require immediate or earlier payment.

## 5. Complaints and deficiencies

The buyer is obliged to inspect the consignment immediately upon receipt. Complaints and / or visible damages in transport, if any, shall be specified on delivery note / waybill immediately upon receipt of the goods and shall be reported to the carrier immediately.

Complaints concerning damages in transport that are not visible shall be made in writing and received by Nowy Styl sp. z o.o. no later than 7 days from the date of delivery. The buyer has no right to return goods without Nowy Styl sp. z o.o. approval. Returned goods shall only be accepted if a prior written agreement has been made. The goods should be carefully packaged when being returned.

Once the risk of the goods has passed to the buyer, Nowy Styl sp. z o.o. is no longer responsible for any damage that may occur, with the exception of product liability (injury caused by a defective product manufactured by Nowy Styl sp. z o.o.). To the maximum extent permitted by law, Nowy Styl sp. z o.o. shall not be liable under any theory of liability, for indirect, incidental, special, consequential or punitive damages, which includes without limitation damages for lost profits or revenues, lost business opportunities, loss of image, or loss of reputation or the like.

For complaints made within the warranty period Nowy Styl sp. z o.o. demands a description of the defect or deficiency to be made in writing by

the buyer. In order to file a complaint the buyer should contact the person at Nowy Styl sp. z o.o. Customer Service Department who is responsible for the region.

The buyer is further required to supply a photo supporting the description or to return the product. Nowy Styl sp. z o.o. shall not be liable as specified above if damages have been caused by incorrect or abnormal product use or storage under extreme temperatures and climate conditions, or in case of product use inconsistent with Nowy Styl sp. z o.o. instructions.

To make a complaint please contact a designated person at Nowy Styl sp. z o.o. Customer Service Department, otherwise write directly to: [export@nowystyl.com](mailto:export@nowystyl.com).

Collect as much information about the problem (description of the situation, photos) and send it in along with a copy of your receipt. Based on that information an official complaint form will be sent back to you.

## 6. Warranty

Manufacturer declares that the products shall be free from defects in material or workmanship.

The warranty is given to the original purchaser only, for normal commercial usage.

Standard use / normal use is defined as the wear which occurs in an office environment during the course of a normal eight-hour work day with weight limitation not exceeding 110 kg. We will replace, to the original purchaser only, any defects in products, parts or components resulting from normal single – shift use. Natural wear and tear of fabrics, products, parts and components is not covered by the warranty.

The warranty does not cover labour, freight / shipping-handling charges, or damages caused by neglect, abuse, misuse, alterations or damage caused by shipment, fire, flood or other natural disasters.

Detailed terms of warranty and warranty periods are available at: [www.nowystyl.com/en/warranty](http://www.nowystyl.com/en/warranty) or may be requested by contacting Nowy Styl sp. z o.o. Customer Service Department at [export@nowystyl.com](mailto:export@nowystyl.com).

## 7. Governing law and jurisdiction

All orders shall be exclusively governed by and construed in accordance with Polish law without reference to its collision rules. The Parties hereby exclude the application of Vienna Convention on Contracts for the International Sale of Goods, signed in Vienna on 11 April 1980.

The seller and the buyer shall take all possible measures to settle any disputes or differences that may arise out of or in connection with this Agreement through amicable negotiations. If the Parties fail to reach an agreement within 60 days since the beginning of the dispute or difference, any and all dispute or difference arising out of or connected with the order shall be subject to exclusive jurisdiction of the court competent for the registered office of the seller.

# General terms of product use, maintenance and cleaning

We entrust you with products that meet the highest standards and requirements, translating directly into their long-term and reliable use. For your complete satisfaction, please refer to the terms of proper use, maintenance and cleaning of our products.

By following the guidelines provided below you can enjoy the highest quality of our products not only within the warranty period, but also for many years to come. Please keep in mind that all products must always be used for their intended purpose.

**Note:** If improperly used, maintained or cleaned, furniture will wear much faster. Damage caused to a piece of furniture as a result of non-observance of these guidelines provides basis for rejection of any complaints.

## 1. General

### Packaging and transport

Our products are packaged very carefully, to ensure they are protected from damage. Be careful when opening packages, as the use of sharp objects may damage the furniture. Products in transport and storage should always be handled in accordance with indications on their packaging, eg. fragile etc. (if applicable). Dents and irregular folds on upholstered furniture usually occur due to handling. The problem is normally resolved after no later than a several of days from unpacking. In case of damage to new products, it is recommended that you keep the packaging to help us verify the legitimacy of your claim.

### Assembly

For a product to be safely used for a long time it is necessary to have it assembled correctly, i.e. in accordance with guidelines provided in the assembly instruction for the product (which specifies the assembly method, the number of components and the tools needed for assembly), and later used in line with operating instructions and the guidelines that follow.

### After assembly

- furniture needs to be set evenly and levelled (failure to do so may cause malfunction of drawers and deformation of the furniture);
- for chairs, use of appropriate castors/glides is recommended (depending on the type of surface – soft or hard), otherwise the floor can be damaged. The Manufacturer does not bear responsibility for damage to flooring caused by improper use of products. For wooden floors, protective mats may be helpful too. It is also important to keep the floor clean, because dirt may stick or become absorbed by castors/glides, which can cause damage to the floor;
- stackable conference chairs should not be stacked higher than stated in the specific product's operating instructions (safety reasons, risk of damage to products);
- repair or replacement of a gas lift can be carried out only by qualified staff. **Note:** It is dangerous to disassemble, dismantle or heat up a gas lift, and doing so may lead to its damage and oil spills.

### Optimal conditions for use

- Furniture should be used indoors and should be protected from adverse weather conditions. It is recommended that ambient conditions should be optimal, i.e.:
  - air temperature of 15–30 °C, relative air humidity of 40–65 % (both, too dry and too humid air can cause deformation of components),
  - it is recommended that rooms should be aired regularly.
- Furniture must not be placed or stored directly next to heat sources such as heaters, radiators, fan heaters etc. Place furniture at a distance of no less than 1 m from active sources of heat.
- Furniture surfaces should be specially protected from direct heat (such as items with a temperature higher than 40 °C). Avoid placing furniture in rooms with high humidity, or on a wet surface (furniture may absorb water).
- Furniture must not be exposed to direct sunlight. Prolonged exposure of a product to UV radiation may lead to discolouration.

### Loading capacity

Furniture must be used for its intended purpose. Do not sit, stand or walk on its surface, if not designed for that purpose. Doing so may result in an accident or damage to furniture components. It is not recommended to overload furniture in excess of its maximum loading capacity. Please exercise special caution when placing a heavy object on furniture, as it may easily damage the surface. Upholstered furniture is particularly prone to deformation and denting.

### Surface scratches

Furniture can be easily damaged by objects with sharp or coarse surfaces, so never place or move such objects over product surface. Use of mouse pads and mats placed under a keyboard or other equipment which could potentially damage desktop surface is recommended. Resting user's shoes on swivel chair base during use is not recommended.

### Chemical substances

Use isolating mats when working with chemical substances (liquids, alcohol, nail polish removers, solvents etc.). Any spilt liquids must be wiped off immediately with a soft absorbent cloth. Avoid contact of lacquered surfaces with skin care cosmetics (creams, lotions etc.).

### Operation

- a chair is intended to be used by one person at a time (with a body weight of no more than 110 kg<sup>1</sup>, as specified by the standard, for no longer than 8 hours per day<sup>2</sup>);
- a sofa is intended to be used by the number of people the given model is designed for or fewer (e.g. a 3-seater sofa must not be used by more than three people at a time);
- screw connections in furniture may become loose during usage; loose connections must be fixed immediately by tightening the appropriate screws and connectors. It is recommended that screw connections are checked regularly (once every six months) and tightened, if necessary.

### Moving furniture

The most convenient way to move a piece of furniture is to hold it by its vertical walls. It is not recommended to hold furniture by fittings, handles or small upholstered parts (such as headrest) not intended for carrying, as this can damage the product; lift a desk or table by holding its supporting structure, not its desktop. Move fixed furniture by lifting it up – sliding may cause damage to the furniture or the floor. Before moving cabinets, remove their contents and lock doors and drawers. At least two people are required to move a piece of fixed furniture, unless stated otherwise in the assembly instruction. Mobile furniture can be moved by one person. To move modular seats forming a set, first detach all components of the set.

By moving individual components of a system separately you make sure they stay undamaged. It is recommended that a piece of furniture should be re-levelled after it has been moved.

## 2. Detailed terms of use, cleaning and maintenance of furniture

### Melamine faced chipboard (MFC)

Due to its characteristics, melamine faced chipboard is very often used to produce office furniture. It has good mechanical properties and it is scratch and stain-resistant. To clean MFC, simply use a moist, soft cloth. For greater stains, add a mild detergent, e.g. soap or dishwashing liquid to water. After cleaning, wipe the surface with a dry cloth. Do not use steam cleaning devices. Remove dirt immediately. Long exposure can cause permanent damage to the surface.

#### Use:

- furniture needs to be set evenly and levelled (failure to do so may cause malfunction of drawers and deformation of the furniture);

#### Cleaning and maintenance:

- clean with a moist cloth,
- a gentle detergent is acceptable (e.g. soap or dishwashing liquid),
- DO NOT use aggressive detergents, (for cleaning and polishing), bleaching agents, acid and acid salts based detergents,
- wipe with a dry cloth,
- DO NOT use steam cleaning devices.

### Laminates

Laminates are used in furniture products intended for heavy use. They are characterized by high resistance to abrasion and temperatures.

The antistatic surface prevents dirt and dust from sticking. Laminates should be cleaned with a moist cloth. For larger stains, a gentle detergent can be used. After laminate surface is cleaned, it should be wiped with a dry cloth.

#### Use:

- temperatures of 15–30 °C air humidity of 40–65 %,
- at least 1 m distance from active sources of heat,
- protect from direct sunlight,
- do not exceed the maximum loading capacity.

#### Cleaning and maintenance:

- clean with a moist cloth,
- gentle detergent is allowed,
- wipe with a dry cloth.

<sup>1</sup> Not applicable to chairs approved for use by user of weight up to 150 kg.

<sup>2</sup> Not applicable to chairs dedicated for 24 / 7 use.

# General terms of product use, maintenance and cleaning

## FENIX NTM

FENIX NTM surfaces have a unique non-porous external layer, allowing you to keep it neat with simple, everyday care and cleaning methods. The surface should be cleaned regularly. Almost all regular household cleaning products can be safely used. For the most common stains, you can simply clean the surface with warm water using a non-abrasive cloth. Tougher stains can be removed with non-abrasive household cleaners or solvents. For older, dried or caked-on stains, use a magic sponge or soft cloth to remove them. After using any solvents, we recommend rinsing the surface with warm water and a detergent.

Always rinse thoroughly to remove the detergent with clean water, preferably warm.

### Use:

- at least 1 m distance from active sources of heat,
- use mats under hot dishes,
- do not exceed the maximum load bearing capacity.

### Cleaning and maintenance:

- clean with perfectly clean soft cloth,
- marks may be removed by rinsing with hot water,
- wipe dry gently after cleaning,
- never use abrasive cleaners, strongly acidic or alkaline products, bleach and heavily-chlorinated products.

### To clear micro-scratches:

1. With an iron:
  - a. place a dampened sheet of kitchen roll over the area where, the micro-scratches can be seen,
  - b. place the hot iron on the surface, that needs repairing. Do not leave the iron on the surface for more than 10 seconds at a time,
  - c. rinse the repaired area with lukewarm water and a microfiber cloth.
2. With magic sponge:
  - a. Rub the magic sponge on the area where the micro-scratches can be seen. The sponge can be used dry or slightly damp. Protect from deep scratching and other mechanical damage.

## Linoleum

Linoleum is a fully organic and decorative furniture finish. The coating is matte, pleasant and natural to the touch. The antistatic surface prevents dirt and dust from sticking. Small colour variations in furniture from various deliveries are unavoidable and show the natural origin of the materials. Linoleum surface should be cleaned with a moist cloth. For larger stains, a pH-neutral detergent can be used. Use of mats under flower pots, vases or dishes is recommended. Stains from ink, coffee, tea and red wine must be removed immediately. They should be removed using a clean cloth and an alcohol (ethanol) based product. Do not use cleaning or conditioning agents which contain silicone and wax derivatives or abrasive substances. Avoid the use of furniture cleaning and conditioning chemicals which may result in stains or persistent streaks on the surface of linoleum.

### Use:

- temperatures of 15–30 °C air humidity of 40–65 %,
- avoid contact with water,
- at least 1 m distance from active sources of heat,
- use mats under hot dishes,
- protect from direct sunlight,
- do not exceed the maximum loading capacity.

### Cleaning and maintenance:

- clean with a moist cloth,
- pH-neutral detergent is allowed,
- stains from coffee, tea etc. should be removed with an alcohol-based product,
- do not use cleaning agents containing silicones and waxes.

## Lacquered MDF boards

Lacquered MDF boards should be dusted with a dry, soft cloth. For more difficult stains use a moist cloth. Do not use cleaning or conditioning agents containing silicone and wax derivatives, abrasive substances or solvents (such products may cause permanent damage to furniture surface).

### Use:

- temperatures of 15–30 °C air humidity of 40–65 %,
- avoid contact with water,
- at least 1 m distance from active sources of heat,
- use mats under hot dishes,
- protect from direct sunlight,
- do not exceed the maximum load bearing capacity.

### Cleaning and maintenance:

- dust with a dry, soft cloth,
- clean with a moist cloth,
- do not use cleaning agents containing silicones, waxes, abrasives or solvents.

## Topalit®

Topalit® table tops are characterized by exceptional resistance to high temperatures, scratching, changeable weather conditions and of high loading capacity. They are relatively easy to keep clean. Topalit® table tops should be cleaned with a soft sponge or cloth using warm water with dishwashing liquid. After washing, wipe the top with a dry cloth. Repeat if necessary. When leaning Topalit® table tops, do not use sharp materials/scourers or acid-based detergents.

### Use:

- resistant to high temperatures, scratching,

### Cleaning and maintenance:

- clean with a moist sponge or cloth using warm water with dishwashing liquid,
- wipe with a dry cloth,
- for considerable stains, a stronger detergent can be used.

## Solid wood, plywood, veneer (finished with lacquers or enamels)

Furniture made from solid wood, plywood and veneer shows the natural beauty and structure of the material used. Natural variations in the look of individual components of a piece of furniture or between furniture sets are acceptable, making every product different, unique and original. They show the natural origin of the material, which additionally emphasizes the value of a piece of furniture

made with these materials. The surfaces of such furniture should be dusted with a clean, moist cloth, moving along the grain. Then, the surface should be dried immediately by wiping with a dry cloth. Do not use cleaning or conditioning agents which may contain silicone and wax derivatives, abrasive substances or solvents. Avoid using chemical furniture cleaning and conditioning detergents as those may have adverse effect on the look of lacquer coatings, leading to permanent damage of the surface, for which the manufacturer bears no liability.

### Use:

- temperatures of 15–30 °C air humidity of 40–65 %,
- avoid contact with water,
- at least 1 m distance from active sources of heat,
- do not place hot dishes on furniture,
- protect from direct sunlight,
- do not exceed the maximum loading capacity,
- avoid contact of surfaces with skin care cosmetics (creams, lotions etc.).

### Cleaning and maintenance:

- clean with a moist cloth, moving along the grain direction,
- do not use cleaning agents containing, silicones, waxes, abrasives or any kinds of solvents,
- dry with a dry cloth.

## Glass surfaces

Glass is an extremely durable material, but it requires proper care. Avoid moving objects made from hard materials (e.g. ceramics or metal) on glass surfaces, as they can scratch the surface of the glass. Glass is prone to rapid changes of temperature, therefore insulating mats should be placed under hot dishes. Glass components should be cleaned with a soft cloth and special glass cleaning products.

### Use:

- protect from scratching,
- do not place hot dishes on glass surfaces,
- do not hit with hard objects.

### Cleaning and maintenance:

- clean with a soft cloth,
- gentle detergent is allowed.

## Metal surfaces: powder-coated, chromium plated, polished

In the process of powder coating, a special powder paint is evenly distributed (sprayed) on a metal surface. The coating is extremely smooth and durable, but it is not resistant to scratching or other kinds of mechanical damage (its function is more of a decorative nature, the same as chromium plated and polished surfaces, however, they have higher anti-scratch properties). After washing, wipe the metal surface of furniture dry. Metal elements should be cleaned with generally available non-scratching detergents intended for this type of finishes. The surfaces of furniture should be cleaned with a soft cloth.

### Use:

- protect from scratching and other mechanical damage.

### Cleaning and maintenance:

- clean with a soft cloth,
- generally available, non-scratching cleaning products.

# General terms of product use, maintenance and cleaning

## Plastic elements

Plastic elements are normally resistant to chemicals and moisture, but sensitive to strongly oxidizing agents and high temperatures; plastic components should not be exposed to strong sunlight, frost or heavy rain. They should be cleaned with warm water with an addition of generally available detergents such as soap or dishwashing liquid. Do not use sharp or abrasive sponges, brushes or scouring pads.

### Use:

- temperatures of 15–30° C protect from scratching.

### Cleaning and maintenance:

- clean with a soft cloth.
- generally available, non-scratching cleaning products.

## Thermoformed felt

Building sound absorbing structures is one of the many uses of felt. Felt is rigid, yet pleasant to the touch. Product components made from thermoformed felt should be vacuumed regularly and cleaned with a soft, moist cloth with no detergents, if necessary.

### Use:

- avoid: frequent rubbing and touching other objects against felt, sudden changes of temperature and soaking.

### Cleaning and maintenance:

- regular vacuuming and/or cleaning with a soft brush,
- soft, moist cloth,
- do not use detergents.

## Leather, imitation leather

If properly cared of, leather products can be preserved in a perfect condition for many years. Leather/imitation leather should not be soaked, greased or treated with abrasive agents; they should always be protected from direct sunlight. All stains should be removed immediately. Leather/imitation leather should first be cleaned with a cloth slightly moistened with a mild cleaning solution of water and soap. Then, the surface should be wiped dry delicately. Use of vacuum cleaner is not recommended as it may scratch the surface of leather/imitation leather. If special leather/imitation leather care products are used, it is recommended to carry out a test on an unseen part of upholstery first to check if it does not cause any damage to the surface.

### Use:

- do not soak or grease,
- protect from scratching (do not use vacuum cleaner),
- protect from direct sunlight.

### Cleaning and maintenance:

- clean with a soft cloth,
- mild cleaning solution of soap and water,
- wipe dry gently after cleaning.

## Fabrics

Furniture with upholstery must always be protected against direct sunlight to avoid fading of fabrics. All stains should be removed immediately. When removing stains and dirt from upholstery, it is recommended to use a moist cloth soaked with warm water or delicate cleaning products/shampoos, dedicated to the particular type of stains. The effect of a detergent should be tested on a piece of an unseen area of upholstery first, before cleaning. Upholsteries must be vacuumed regularly.

### Use:

- protect from UV radiation
- all stains should be removed immediately.

### Cleaning and maintenance:

- clean with a soft, moist cloth soaked with warm water with an addition of a delicate cleaning agent/shampoo dedicated to furniture upholstery,
- vacuum regularly.

© Copyright 2022 Nowy Styl sp. z o.o.

Nowy Styl sp. z o.o. reserves the right to change the  
constructional features and Finishes: of products.

Note: Colours and patterns illustrated here may vary from  
the originals.

Publications of Nowy Styl sp. z o.o.  
Brands and trademarks used herein are the property  
of NSG TM sp. z o.o.