



DT12

Track Dumpers



Looking good anywhere: DT12

The track dumper DT 12 is the ideal transporter on all types of soil, such as gravel or sand, as well as boggy or hilly terrain. The tailor-made cooling system guarantees safe operation of the machine in high-temperature conditions.

- The hydrostatic drive enables easy and comfortable operation.
- Robust crawler design guarantees long service life with low wear and tear.
- The one-piece engine hatch and optimal configuration of the service points make daily maintenance easy.
- The rubber tracks and optimum weight distribution reduce the ground pressure and prevent damage to delicate surfaces.
- Optional self-loading system and high-tipping skip available.

Technical specifications

Operating data

Shipping weight Diesel	650 kg
Payload max.	1,200 kg




Skip capacity level	393 l
Skip capacity heaped*	446 l
L x W x H	1,823 x 790 x 1,303 mm
Engine / Motor	
Engine performance Diesel	12 kW
at rpm	2,700 rpm
Travel speed Diesel	4 km/h
Gradeability	62 %

* Model with front-tipping skip



Dimensions



A	Length (without running board) mm	1,823
B	Length with self-loading equipment (without running board) mm	2,277
C	Length of running board mm	393
D	Height over running board mm	265
E	Width Undercarriage mm	790
F	Skip width mm	700
G	Skip length mm	1,357
H	Width with self-loading equipment mm	830
I	Chain width Track mm	180
J	Length Track mm	875
K	Height over control console mm	1,280
L	Height over skip hand protector mm	1,303
P	Height of skip front edge mm	812



Q	Dumping height mm	460
T	Height Max., skip raised mm	1,950
V	Tip-out angle Skip dumping °	70
W	Reverse roll angle Running board retraction °	14

Please note

that product availability can vary from country to country. It is possible that information / products may not be available in your country. More detailed information on engine power can be found in the operator's manual; the stated power may vary due to specific operating conditions. Subject to alterations and errors excepted. Applicable also to illustrations.
Copyright © 2016 Wacker Neuson SE.